



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------------|--|--------------|
| 2106.90.52 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 2106.90.54 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 2202.99.36 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 2202.99.37 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 2905.49.4000 | Product Specific | Erythritol (CAS No. 149-32-6) | 10/28/2019 |
| 2908.99.8000 | Product Specific | 3-Trifluoromethyl-4-nitrophenol (CAS No. 88-30-2) (IUPAC: 4-nitro-3-(trifluoromethyl)phenol), valued over \$16 per kg but not over \$25 per kg | 10/28/2019 |
| 2917.13.0030 | Product Specific | Sebacic acid (CAS No. 111-20-6) | 10/28/2019 |
| 2921.59.2000 | Product Specific | 4,4'-Diamino-2,2'-stilbenedisulfonic acid (CAS No. 81-11-8) | 10/28/2019 |
| 2922.49.3700 | Product Specific | Ethyl 4-aminobenzoate (CAS No. 94-09-7) (Benzocaine (INN)) | 10/28/2019 |
| 2929.10.2700 | Product Specific | N-Butyl isocyanate (CAS No. 111-36-4) | 10/28/2019 |
| 3204.17.9050 | Product Specific | Pigment yellow 13 (CAS No. 5102-83-0) | 10/28/2019 |
| 3702.44.0160 | Product Specific | Polyethylene terephthalate (PET) film coated with a photoresist solution, in rolls, sensitized, unexposed, without perforations, of a width exceeding 105 mm but not exceeding 610 mm, not used as graphic arts film | 10/28/2019 |
| 3824.99.3900 | Product Specific | Chabazite zeolites having a silica-alumina ratio of 20:1 to 24:1, valued at \$31 to \$39 per kg (described in statistical reporting number 3824.99.3900) | 9/20/2019 |
| 3918.10.5000 | Product Specific | Ceiling tiles of cellular polyvinyl chloride (PVC), in rolls, not backed by textile fibers, each measuring 60 cm by 60 cm by 4 mm | 10/28/2019 |
| 3923.10.9000 | Product Specific | Container units of plastics, each comprising a tub and lid therefore, configured or fitted for the conveyance, packing, or dispensing of wet wipes (described in statistical reporting number 3923.10.9000) | 8/7/2019 |
| 3923.50.0000 | Product Specific | Injection molded polypropylene plastic caps or lids each weighing not over 24 grams designed for dispensing wet wipes (described in statistical reporting number 3923.50.0000) | 8/7/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 3923.90.0080 | Product Specific | Cups of polypropylene, with a fluted wood paper filter fitted and affixed to the inside, measuring 44.1 mm in height, of a kind used to produce capsules for single-cup coffee brewing systems (described in statistical reporting number 3923.90.0080) | 9/20/2019 |
| 3926.90.3000 | Product Specific | Kayak paddles, double ended, with shafts of aluminum and blades of fiberglass reinforced nylon (described in statistical reporting number 3926.90.3000) | 8/7/2019 |
| 4016.91.0000 | Product Specific | Anti-electrostatic discharge mats, comprising a conductive rubber mat measuring 40 cm or more but not exceeding 60 cm in width, 80 or more but not exceeding 125 cm in length, and 2 mm in thickness, with integrated discharge points for a grounding wire clip or an anti-static wrist strap, such mats printed on the surface with measuring rules and technical reference data (described in statistical reporting number 4016.91.0000) | 9/20/2019 |
| 4016.93.1010 | Product Specific | O-rings, of nitrile rubber, ethylene propylene diene monomer (EPDM) rubber or fluoroelastomers (described in statistical reporting number 4016.93.1010) | 9/20/2019 |
| 4016.93.5050 | Product Specific | Gaskets, washers and other seals (other than O-rings or oil seals), of nitrile rubber, ethylene propylene diene monomer (EPDM) rubber or fluoroelastomers | 10/28/2019 |
| 4016.99.6050 | Product Specific | Brake bushings, hard or soft | 10/28/2019 |
| 4201.00.3000 | Product Specific | Dog harnesses and retractable dog leashes (described in statistical reporting number 4201.00.3000) | 9/20/2019 |
| 4402.10.0000 | Product Specific | Portable, single-use grills for heating food, each comprising bamboo charcoal fuel, expanded perlite insulation, bamboo rods for suspending foods over the charcoal flame, and cut paper or paperboard in shapes specially designed for assembly of a grill body (described in statistical reporting number 4402.10.0000) | 9/20/2019 |
| 4412.99.5105 | Product Specific | Laminated wood flooring panels having a hardwood veneer finished surface and a backing of pine strips or blocks, the panels having tongue-and-groove outer edges and being in thickness greater than 1.4 cm but not greater than 1.5 cm. (described in statistical reporting number 4412.99.5105) | 9/20/2019 |
| 4601.93.0100 | Product Specific | Rattan webbing, woven into decorative patterns (described in statistical reporting number 4601.93.0100) | 9/20/2019 |
| 4823.61.0040 | Product Specific | Trays, plates and bowls, of bamboo | 10/28/2019 |
| 4823.70.0040 | Product Specific | Paper pulp sponge blocks, measuring 38 cm by 38 cm by 102 cm (15 inches by 15 inches by 40 inches) (described in statistical reporting number 4823.70.0040) | 9/20/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------------|---|--------------|
| 5106.10.0090 | Product Specific | Yarn of carded Merino sheep wool, not put up for retail sale, containing 85 percent by weight of wool, of which the average fiber diameter is not more than 25 microns | 10/28/2019 |
| 5402.20.3010 | Product Specific | High tenacity polyester yarn not over 600 decitex (described in statistical reporting number 5402.20.3010) | 8/7/2019 |
| 5407.10.0010 | Product Specific | Woven microfiber fabric of 100 percent polyester, not exceeding 150/75 or 104/72 threads per inch, weighing 83 gram/m ² (described in statistical reporting number 5407.10.0010) | 9/20/2019 |
| 5407.52.2060 | Product Specific | Woven dyed fabrics of 100 percent textured polyester filament yarn, measuring 332.7 cm in width, weighing more than 170 g/m ² | 10/28/2019 |
| 5513.11.0040 | Product Specific | Woven fabric sheeting of 65 percent polyester and 35 percent cotton, weighing less than 170g/ m ² , not exceeding 45/45 or 110/76 threads per inch (described in statistical reporting number 5513.11.0040) | 9/20/2019 |
| 5603.12.0090 | Product Specific | Nonwoven fabrics of man-made fibers, weighing more than 25 g/m ² but not more than 70 g/m ² , with a smooth or embossed texture (not impregnated, coated or covered with material other than or in addition to rubber, plastics, wood pulp or glass fibers), in rolls that are pre-slitted in lengths of not less than 15 cm to not more than 107 cm, for use in the manufacture of personal care wipes | 10/28/2019 |
| 5603.92.0090 | Product Specific | Nonwovens weighing more than 25 g/m ² but not more than 70 g/m ² in rolls, not impregnated coated or covered (described in statistical reporting number 5603.92.0090) | 8/7/2019 |
| 5806.32.2000 | Product Specific | Seat belt webbing of man-made fibers, measuring 25 mm or more but not exceeding 50 mm in width, not cut to specific length | 10/28/2019 |
| 5810.91.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 5810.92.10 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 5810.92.90 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 5810.99.10 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 5810.99.90 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 5903.10.2090 | Product Specific | Imitation leather fabrics, of man-made fibers impregnated, coated, covered or laminated with 75 percent polyvinyl chloride (PVC) by weight | 10/28/2019 |
| 5903.20.2500 | Product Specific | Polyester or viscose fabric coated with polyurethane, the foregoing measuring 137 cm (54 inches) in width, and weighing 187 grams/m ² (described in statistical reporting number 5903.20.2500) | 9/20/2019 |
| 5903.20.2500 | Product Specific | Fabrics of man-made micro-denier fibers impregnated, coated, covered, or laminated with polyurethane, of a width of at least 135 cm but no more than 150 cm, weighing at least 206 g/m ² but not more than 500 g/m ² | 10/28/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------------|--|---------------------|
| 6001.10.2000 | Product Specific | Long pile knit fabrics, of acrylic pile on polyester ground, valued not over \$16 per m2 | 10/28/2019 |
| 6103.22.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6103.23.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6103.29.05 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6103.29.10 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6103.29.20 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6104.22.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6104.23.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6104.29.05 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6104.29.10 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6203.22.30 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6203.29.10 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6203.29.15 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6203.29.20 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6203.29.30 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6204.21.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6204.22.30 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6204.23.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6204.29.20 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 6810.99.0080 | Product Specific | Cement backer boards (CAS No. 1309-48-4) | 10/28/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 7016.10.0000 | Product Specific | Tiles of non-recycled glass on a vinyl mesh backing, in a grid pattern of not less than 304 mm by 304 mm and not exceeding 305 mm by 305 mm, for mosaics or other decorative or construction purposes | 10/28/2019 |
| 7017.90.1000 | Product Specific | Microscope slides, each 25 mm by 76 mm, with a 25 mm by 25 mm area coated in printable paint | 10/28/2019 |
| 7314.14.1000 | Product Specific | Stainless steel mesh filters (described in statistical reporting number 7314.14.1000) | 9/20/2019 |
| 7315.12.0080 | Product Specific | Articulated chains of iron, not over 8 mm in thickness and valued not over \$2 per kg | 10/28/2019 |
| 7318.15.8069 | Product Specific | Bolts of alloy steel other than stainless steel, with shanks or threads with a diameter of 6 mm or more, valued not over \$0.10 per kg | 10/28/2019 |
| 7318.15.8069 | Product Specific | Perforated hollow hex head bolts ("banjo bolts") of steel other than stainless, with shanks or threads with a diameter of 6 mm or more, valued not over \$0.10 per kg | 10/28/2019 |
| 7321.90.6090 | Product Specific | Grills composed of steel wire, each measuring 49 cm by 47 cm (19.25 inches by 18.5 inches), weighing 0.36 kg (0.80 lbs.), designed as cooking surface of barbecue grill (described in statistical reporting number 7321.90.6090) | 9/20/2019 |
| 7322.90.0015 | Product Specific | Kerosene air heaters, each incorporating a motor-driven fan or blower, each valued at \$100 or more but not exceeding \$120 | 10/28/2019 |
| 7323.99.9080 | Product Specific | Pet cages of steel (described in statistical reporting number 7323.99.9080) | 8/7/2019 |
| 7324.21.5000 | Product Specific | Freestanding cast iron bathtubs, without feet, coated with porcelain enamel, each valued over \$275 | 10/28/2019 |
| 7326.19.0080 | Product Specific | Stamped steel rings, measuring 1.22 mm in thickness and 35 mm in diameter, of a kind used with rubber vibration bushings in motor vehicle suspensions | 10/28/2019 |
| 7326.90.8688 | Product Specific | Portable work table bases | 10/28/2019 |
| 7326.90.8688 | Product Specific | Sawhorses of steel, with folding legs, each with a weight capacity of at least 225 kg but not more than 685 kg | 10/28/2019 |
| 7419.99.5050 | Product Specific | Decorative copper cup rainfall funnels, each weighing not more than 1.5 kg with a chain measuring 20 cm in length, cups each measuring 80 cm in height, 10 cm in width, 10 cm in diameter | 10/28/2019 |
| 7501.20.0000 | Product Specific | Nickel hydroxy carbonate (CAS No. 12607-70-4) | 10/28/2019 |
| 7616.99.5190 | Product Specific | Mounting boards of aluminum for guitar sound modifying ("effect") devices, each consisting of an aluminum frame with above ground slots for the placement of devices and floor level slots for the on/off foot-operated pedal switches which control the modifying devices (described in statistical reporting number 7616.99.5190) | 9/20/2019 |
| 7616.99.5190 | Product Specific | Aluminum desktop stands for laptop computers | 10/28/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------------|--|--------------|
| 8204.11.0060 | Product Specific | Extension wrenches | 10/28/2019 |
| 8205.70.0090 | Product Specific | Parallel clamps with jaws not more than 10 cm wide | 10/28/2019 |
| 8205.90.60 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 8206.00.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 8207.19.3060 | Product Specific | Drill bits of steel, consisting of three legs that are welded together with each leg containing rotating cones, for use in drilling for oil and natural gas | 10/28/2019 |
| 8209.00.0030 | Product Specific | Cylindrical cemented tungsten carbide rod blanks, containing by weight 60 percent or more of tungsten carbide, 30 percent or less of cobalt, and 15 percent or less of nickel | 10/28/2019 |
| 8215.10.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 8215.20.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 8302.30.3060 | Product Specific | Brake pad clips, of stainless steel, for motor vehicles of headings 8703 and 8704 | 10/28/2019 |
| 8302.41.6080 | Product Specific | Hand rails of tubular stainless steel, with wall connectors, of a length exceeding 300 mm but not exceeding 1.3 m (described in statistical reporting number 8302.41.6080) | 9/20/2019 |
| 8302.49.6085 | Product Specific | Stamped and formed latches of steel (described in statistical reporting number 8302.49.6085) | 9/20/2019 |
| 8302.50.0000 | Product Specific | Stamped and formed brackets of steel (described in statistical reporting number 8302.50.0000) | 9/20/2019 |
| 8407.32.9040 | Product Specific | Spark ignition reciprocating piston engines of a cylinder capacity exceeding 100 cc but not exceeding 250 cc, not exceeding 10.0 kW (described in statistical reporting number 8407.32.9040) | 9/20/2019 |
| 8413.30.9030 | Product Specific | Fuel pumps for internal combustion, spark ignition piston engines (described in statistical reporting number 8413.30.9030) | 9/20/2019 |
| 8414.90.1080 | Product Specific | Parts, of aluminum, iron or steel, for blowers other than fans of 8414.51 (described in statistical reporting number 8414.90.1080) | 9/20/2019 |
| 8418.50.0080 | Product Specific | Fifteen-door refrigerated lockers designed to convey pre-ordered groceries to consumers, measuring not over 80 cm in depth by 230 cm in length by 35 cm in height | 10/28/2019 |
| 8418.50.0080 | Product Specific | Nine-door refrigerated lockers designed to convey pre-ordered groceries to consumers, measuring not over 80 cm in depth by 230 cm in length by 35 cm in height | 10/28/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|---------------------|
| 8424.30.9000 | Product Specific | Pressure washers | 10/28/2019 |
| 8471.60.9050 | Product Specific | Mouse input devices for automatic data processing (ADP) machines, each valued over \$70 (described in statistical reporting number 8471.60.9050) | 9/20/2019 |
| 8471.60.9050 | Product Specific | Trackpad input units for automatic data processing (ADP) machines, each valued over \$100 (described in statistical reporting number 8471.60.9050) | 9/20/2019 |
| 8473.29.0000 | Product Specific | Cash drawers for cash registers of subheading 8470.50 | 10/28/2019 |
| 8473.30.1180 | Product Specific | Printed circuit assemblies to enhance the graphics performance of automatic data processing (ADP) machines ("accelerator modules") (described in statistical reporting number 8473.30.1180) | 9/20/2019 |
| 8473.30.1180 | Product Specific | Printed circuit assemblies for rendering images onto computer screens ("graphics processing modules") (described in statistical reporting number 8473.30.1180) | 9/20/2019 |
| 8473.30.1180 | Product Specific | Printed circuit assemblies, constituting unfinished logic boards (described in statistical reporting number 8473.30.1180) | 9/20/2019 |
| 8473.30.5100 | Product Specific | Parts and accessories of machines of heading 8471 not incorporating goods of headings 8541 or 8542 (described in statistical reporting number 8473.30.5100) | 9/20/2019 |
| 8476.81.0000 | Product Specific | Refrigerated and heated vending machines for dispensing live bait and fishing tackle, each machine weighing more than 350 kg (described in statistical reporting number 8476.81.0000) | 9/20/2019 |
| 8481.80.1085 | Product Specific | Ball valves, of bronze, designed for use in marine engines, generators and air conditioners, in sizes from 6 mm NPT/BSPP to 102 mm NPT/BSPP | 10/28/2019 |
| 8481.80.3030 | Product Specific | Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 34 cm by 13 cm by 34 cm | 10/28/2019 |
| 8481.80.3030 | Product Specific | Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 34 cm by 13 cm by 40 cm | 10/28/2019 |
| 8481.80.3030 | Product Specific | Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 46 cm by 18 cm by 50 cm | 10/28/2019 |
| 8481.80.3030 | Product Specific | Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 55 cm by 58 cm by 18 cm | 10/28/2019 |
| 8481.80.3030 | Product Specific | Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 65 cm by 61 cm by 19 cm | 10/28/2019 |
| 8481.80.5060 | Product Specific | Faucets of brass, designed for use on centerset and widespread lavatory sinks | 10/28/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8504.40.6018 | Product Specific | Power supplies suitable for physical incorporation into automatic data processing (ADP) machines or units thereof of heading 8471, each with a power output exceeding 500 W, measuring 148mm in length, 43 mm in width and 335 mm in height (described in statistical reporting number 8504.40.6018) | 9/20/2019 |
| 8516.29.0030 | Product Specific | Fan-forced, portable electric space heaters, each having a power consumption of not more than 1.5 kW and weighing more than 1.5 kg but not more than 17 kg, whether or not incorporating a humidifier or air filter | 10/28/2019 |
| 8516.29.0030 | Product Specific | Fan-forced, portable electric space heaters, each having a power consumption more than 900 W but not more than 1.6 kW and weighing more than 1.5 kg but not more than 17 kg, whether or not incorporating a humidifier or air filter | 10/28/2019 |
| 8516.29.0090 | Product Specific | Electric fireplace inserts and free-standing electric fireplace heaters, rated at 5,000 British thermal units (BTUs) | 10/28/2019 |
| 8516.29.0090 | Product Specific | Electric fireplaces, weighing not more than 21 kg | 10/28/2019 |
| 8517.62.0020 | Product Specific | Mobile wi-fi hotspots | 10/28/2019 |
| 8531.90.9001 | Product Specific | Magnetic security tags and labels | 10/28/2019 |
| 8534.00.0040 | Product Specific | Printed circuit boards, plastics impregnated, not flexible, having a base wholly of impregnated glass, with fewer than 3 layers of conducting materials, valued over \$2 but not over \$4.25 each | 10/28/2019 |
| 8537.10.9160 | Product Specific | Programmable gas ignition safety controls, each measuring at least 4 cm but not more than 5 cm in height, at least 6 cm but not more than 9 cm inwidth, and not more than 14 cm in depth, weighing at least 190 g but not more than 250 g, and valued not over \$15 each, of a kind used in water heaters for recreational vehicles | 10/28/2019 |
| 8537.10.9170 | Product Specific | Gas ignition control relighters, each measuring 5 cm by 4 cm by 10 cm, and weighing not more than 100 kg, of a kind used in gas burner systems or propane vaporizers | 10/28/2019 |
| 8537.10.9170 | Product Specific | Gas ignition safety controls, each measuring at least 3 cm but not more than 6 cm in height, at least 9 cm but not more than 12 cm in width, and at least 13 cm but not more than 14 cm in height, weighing at least 200 g but not more than 400 g, and valued not over \$26 each, of a kind used in patio heaters, agricultural heaters, or clothes dryers | 10/28/2019 |
| 8539.39.9000 | Product Specific | Cold cathode electric neon discharge lamps, measuring 6.5 mm (1/4 inch) or less in diameter and 16 mm (5/8 inch) or less in length (described in statistical reporting number 8539.39.9000) | 9/20/2019 |
| 8543.70.9100 | Product Specific | Hybrid signal processing apparatus capable of connecting to a wired or wireless network for the mixing of sound | 10/28/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8544.42.2000 | Product Specific | Insulated electric conductors for a voltage not exceeding 1,000 V, fitted with connectors of a kind used for telecommunications, each valued over \$0.35 but not over \$2 | 10/28/2019 |
| 8544.42.9090 | Product Specific | Insulated electric conductors, for a voltage not exceeding 1,000 V, fitted with connectors (other than of a kind used for telecommunications, other than extension cords as defined in statistical note 6 to chapter 85), such conductors measuring not less than 8 m and not more than 10 m in length, incorporating a connector on one end and a weather-resistant compartment and cover designed to house 4 AA batteries on the other end | 10/28/2019 |
| 8708.21.0000 | Product Specific | Safety seat belts of the motor vehicles of headings 8701 to 8705, each valued over \$3.50 but not over \$4.50 | 10/28/2019 |
| 8708.29.5060 | Product Specific | Seat belt retractor assemblies without a ratchet mechanism | 10/28/2019 |
| 8708.30.5090 | Product Specific | Guide pins and guide bolts designed for use in brakes and servo-brakes of subheading 8708.30 (described in statistical reporting number 8708.30.5090) | 9/20/2019 |
| 8708.50.8100 | Product Specific | Cast iron parts of differential dampers for motor vehicles of heading 8703 | 10/28/2019 |
| 8708.70.4545 | Product Specific | Road wheels for the vehicles of heading 8703, of A 356 aluminum, each measuring at least 50.8 cm but not more than 66.04 cm (20 inches to 26 10/28/2019 inches) in diameter and at least 25.4 cm but not more than 40.64 cm (10 inches to 16 inches) in width | 10/28/2019 |
| 8708.91.5000 | Product Specific | Aluminum radiators for motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use), measuring 50 cm or more but not exceeding 77 cm (20 inches to 30 inches) in width, 50 cm or more but not exceeding 77 cm (20 inches to 30 inches) in height, and 5 cm or more 9/20/2019 but not exceeding 11 cm (2 inches to 4 inches) in thickness, consisting of upper and lower tanks or side tanks welded to a center core (described in statistical reporting number 8708.91.5000) | 9/20/2019 |
| 8708.93.7500 | Product Specific | Clutch covers and discs of steel for the motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use) | 10/28/2019 |
| 8708.99.8180 | Product Specific | Anti-vibration control components of ASTM A519 1020 cold-drawn precision mechanical tubing of steel, valued over \$0.50 each but not over \$0.60 each, for motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use) | 10/28/2019 |
| 8712.00.2500 | Product Specific | Single-speed bicycles having both wheels exceeding 63.5 cm in diameter, weighing less than 16.3 kg without accessories and not designed for use with tires having a cross-sectional diameter exceeding 4.13 cm (described in statistical reporting number 8712.00.2500) | 9/20/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------------|---|---------------------|
| 8714.91.3000 | Product Specific | Bicycle frames, of carbon fiber, valued not over \$600 each | 10/28/2019 |
| 8716.80.5090 | Product Specific | Carts, not mechanically propelled, each with three or four wheels, of the kind used for household shopping (described in statistical reporting number 8716.80.5090) | 8/7/2019 |
| 8716.8050.90 | Product Specific | Mobile bases, of which the length of the sides can be adjusted, with a capacity of 182 kg or more but not exceeding 680 kg | 10/28/2019 |
| 8716.90.5060 | Product Specific | Truck trailer skirt brackets, other than parts of general use of Section XV (described in statistical reporting number 8716.90.5060) | 8/7/2019 |
| 8716.90.5060 | Product Specific | Tractor trailer skirts, consisting of panels designed to be attached to each side of a trailer, each with an upper section having a polyethylene core, steel layer and polyester finish coat and each lower section composed of thermoplastic vulcanite compound (described in statistical reporting number 8716.90.5060) | 9/20/2019 |
| 8903.10.0060 | Product Specific | Inflatable boats, other than kayaks and canoes, with over 20 gauge polyvinyl chloride (PVC), each valued at \$500 or less and weighing not over 52 kg (described in statistical reporting number 8903.10.0060) | 8/7/2019 |
| 8903.10.0060 | Product Specific | Inflatable kayaks and canoes, with over 20 gauge polyvinyl chloride (PVC), each valued at \$500 or less and weighing not over 22 kg (described in statistical reporting number 8903.10.0060) | 8/7/2019 |
| 9001.90.4000 | Product Specific | Unmounted lenses for rifle scopes, rangefinders and spotting scopes | 10/28/2019 |
| 9001.90.9000 | Product Specific | Clear rectangular filter cover lenses, unmounted, of allyl diglycol carbonate for arc welding helmets, each measuring 50 mm by 110 mm or measuring 115 mm by 135 mm | 10/28/2019 |
| 9005.90.40 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 9005.90.80 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 9015.90.0190 | Product Specific | Parts and accessories of meteorological instruments and appliances, consisting of a kit including a housing for mounting to a pole with an integrated tightening knob and an extension cord measuring not less than 8 m and not more than 10 m in length | 10/28/2019 |
| 9017.90.01 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 9017.90.01 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------------|---|--------------|
| 9106.90.5510 | Product Specific | Battery-powered timers, with clock or watch movements, with opto-electronic display only, incorporating a 360-degree rotating timer control, a start/stop control, a reset control, and an audible alarm, with a maximum time count of 9 hours, 59 minutes, and 59 seconds | 10/28/2019 |
| 9106.90.5510 | Product Specific | Battery-powered timers, with clock or watch movements, with opto- electronic display only, incorporating an audible alarm, with dimensions not exceeding 10 cm by 10 cm by 5 cm, weighing no more than 60 grams | 10/28/2019 |
| 9110.11.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 9110.90.20 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 9401.90.5081 | Product Specific | Foot assemblies of base metal and rubber, designed for folding chairs | 10/28/2019 |
| 9403.50.9080 | Product Specific | Wooden jewelry armoires, each weighing over 13 kg but not over 28 kg, measuring 101 cm in height by 44 cm in width by 30 cm in depth, with 8 drawers | 10/28/2019 |
| 9403.50.9080 | Product Specific | Wooden jewelry armoires, each weighing over 13 kg but not over 28 kg, measuring 102 cm in height by 46 cm in width by 30 cm in depth, with 7 drawers | 10/28/2019 |
| 9403.89.6003 | Product Specific | Bassinets, composed of polyester fabric with frames of steel tubing, each measuring 86 cm in length by 51 cm in width by 88 cm in height, weighing not more than 11 kg, with drop-side rail and adjustable height legs on wheels | 10/28/2019 |
| 9403.89.6003 | Product Specific | Bassinets, composed of polyester fabric with frames of steel tubing, each measuring 86 cm in length by 52 cm in width by 81 cm in height weighing not more than 11 kg or 100 cm in length by 65 cm in width by 81 cm in height weighing 13 kg, with drop-side rail and wheels | 10/28/2019 |
| 9403.89.6003 | Product Specific | Bassinets, composed of polyester fabric with frames of steel tubing, each measuring 91 cm in length and 72 cm in width, weighing not more than 13 kg, with drop-side rail, adjustable height legs on wheels, presented with hanging toys and musical mobile | 10/28/2019 |
| 9403.89.6003 | Product Specific | Infant bassinets, of metal, plastic and fabric, measuring not over 80 cm by 30 cm by 30 cm | 10/28/2019 |
| 9403.90.8061 | Product Specific | Desk or table top computer monitor sit/stand workstations, each valued over \$100 | 10/28/2019 |
| 9405.30.0010 | Product Specific | Miniature lighting sets of a kind used for Christmas trees (described in statistical reporting number 9405.30.0010) | 9/20/2019 |
| 9405.40.8440 | Product Specific | LED light fixtures, of a kind used in horticulture, containing over 5,000 LEDs spread across 6 light bars (described in statistical reporting number 9405.40.8440) | 9/20/2019 |
| 9405.50.4000 | Product Specific | Garden, patio and table top wick burning torches for outdoor use (described in statistical reporting number 9405.50.4000) | 9/20/2019 |
| 9405.99.4090 | Product Specific | Lamp shades of fabric over metal frame (described in statistical reporting number 9405.99.4090) | 9/20/2019 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------------|--|--------------|
| 9608.50.00 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 9620.00.15 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 9620.00.30 | Set/Ensemble Provision | The duty provided in the applicable subheading | 9/20/2019 |
| 3401.11.5000 | Product Specific | Nonwoven wipes, impregnated with organic surfactant preparations of a kind used to remove hair-color stains from the skin, put up for retail sale in canisters each containing 100 wipes (described in statistical reporting number 3401.11.5000) | 1/6/2020 |
| 4010.35.9000 | Product Specific | Endless synchronous belts of vulcanized rubber, molded polyurethane, neoprene, or welded urethane, each of an outside circumference of 60 cm or more but not more than 77 cm and a width of 2.5 cm or more but not exceeding 4 cm, weighing 0.18 kg or more but not exceeding 0.45 kg (described in statistical reporting number 4010.35.9000) | 1/6/2020 |
| 4202.11.0030 | Product Specific | Briefcases with outer surface of leather, each measuring no more than 37 cm by 45 cm by 17 cm (described in statistical reporting number 4202.11.0030) | 1/6/2020 |
| 4420.90.8000 | Product Specific | Storage containers of paulownia wood, each measuring 8 cm or more but not over 41 cm in width, 8 cm or more but not over 41 cm in depth and 9 cm or more but not over 41 cm in height (described in statistical reporting number 4420.90.8000) | 1/6/2020 |
| 5407.52.2060 | Product Specific | Woven fabric of 100 percent textured polyester filaments, dyed, weighing more than 170 g/m ² , measuring not more than 310 cm in width (described in statistical reporting number 5407.52.2060) | 1/6/2020 |
| 5407.52.2060 | Product Specific | Woven fabric of synthetic filament yarn containing 85 percent or more by weight of textured polyester filaments, dyed, measuring 249 cm in width, weighing more than 170 g/m ² (described in statistical reporting number 5407.52.2060) | 1/6/2020 |
| 5407.61.9930 | Product Specific | Woven dupioni fabric wholly of non-textured dyed polyester filaments, weighing not more than 170 g/m ² , measuring not more than 310 cm in width (described in statistical reporting number 5407.61.9930) | 1/6/2020 |
| 5407.61.9930 | Product Specific | Woven fabric wholly of polyester, dyed, not flat, containing non-textured polyester filaments, weighing not more than 170 g/m ² , measuring not over 310 cm in width (described in statistical reporting number 5407.61.9930) | 1/6/2020 |
| 5407.61.9935 | Product Specific | Woven fabric wholly of polyester, dyed, containing non-textured polyester filaments, weighing more than 170 g/m ² , measuring not over 310 cm in width (described in statistical reporting number 5407.61.9935) | 1/6/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|---------------------|
| 5407.72.0015 | Product Specific | Woven fabric containing by weight 47 percent of nylon and 53 percent of polyester, dyed, containing textured filaments, weighing not more than 170 g/m ² , measuring greater than 274 cm in width (described in statistical reporting number 5407.72.0015) | 1/6/2020 |
| 5512.19.0090 | Product Specific | Woven dyed fabrics wholly of spun polyester, weighing more than 240 g/m ² and measuring not more than 310 cm in width (described in statistical reporting number 5512.19.0090) | 1/6/2020 |
| 5514.22.0020 | Product Specific | Woven dyed 3-thread twill fabrics containing by weight 65 percent of polyester and 35 percent of cotton staple fibers, not napped, weighing more than 200 g/m ² and exceeding 310 cm in width (described in statistical reporting number 5514.22.0020) | 1/6/2020 |
| 5609.00.4000 | Product Specific | Storage containers of twisted paper rope, each measuring not less than 8 cm but not more than 39 cm in length, not less than 8 cm but not more than 39 cm in width and not less than 9 cm but not more than 57 cm in height (described in statistical reporting number 5609.00.4000) | 1/6/2020 |
| 5810.92.9080 | Product Specific | Woven dyed embroidery fabrics containing by weight 55 percent of polyester and 45 percent of nylon, weighing less than 115 g/m ² and measuring 289 cm in width (described in statistical reporting number 5810.92.9080) | 1/6/2020 |
| 7308.30.5050 | Product Specific | Butt welding tube or pipe elbows of galvanized steel, each weighing 0.19 kg or more but not over 17 kg, measuring 12 mm or more but not over 102 mm in inside diameter, UL listed Vault doors of stamped, welded and powder-coated 12-gauge carbon steel, each measuring 2 m or more in height, 81 cm or more but not more than 92 cm in width and 7.7 cm in thickness, each fitted with nine locking bolts, a slip-clutch handle and a programmable electric lock with keypad, with mechanical key override, presented with matching door frame (described in statistical reporting number 7308.30.5050) | 1/6/2020 |
| 7323.99.9080 | Product Specific | Safes of 16 gauge carbon steel, each stamped, welded and powder-coated, with a programmable electric lock with keypad, mechanical key override, measuring 27 cm or more but not over 33 cm in length, 21 cm or more but not over 23 cm in width and 6 cm or more but not over 23 cm in depth (described in statistical reporting number 7323.99.9080) | 1/6/2020 |
| 7326.90.8688 | Product Specific | Fish tapes of steel and plastics, each weighing 516 g or more but not over 3,810 g and measuring no greater than 46 cm by 34 cm by 5 cm (described in statistical reporting number 7326.90.8688) | 1/6/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 7326.90.8688 | Product Specific | Steel clamps with rubber insulation, each weighing not more than 45.4 grams and measuring not more than 26 mm in height, not more than 54 mm in width and not more than 97 mm in depth (described in statistical reporting number 7326.90.8688) | 1/6/2020 |
| 7326.90.8688 | Product Specific | Telescoping poles of steel, spring loaded, with ends of plastic, each measuring not less than 127 cm but not more than 314 cm in height and not more than 2.6 cm in diameter (described in statistical reporting number 7326.90.8688) | 1/6/2020 |
| 7610.90.0080 | Product Specific | Awning casting endplates, of aluminum, weighing not less than 0.1 kg, measuring not less than 17 cm in length, not less than 10 cm in width, and not less than 1 cm in height (described in statistical reporting number 7610.90.0080) | 1/6/2020 |
| 7610.90.0080 | Product Specific | Decorative cast aluminum endcaps, of a kind used with structural elements of roofmounted patio awnings for recreational vehicles (RVs), each measuring not more than 19 cm in length, not more than 11.5 cm in width and not more than 3 cm in thickness, weighing not more than 0.15 kg each (described in statistical reporting number 7610.90.0080) | 1/6/2020 |
| 7616.99.5190 | Product Specific | Clips of aluminum shaped like the letter "J", with the diameter of the loop not exceeding 13 mm, each with a hole drilled through the long part of the "J" (described in statistical reporting number 7616.99.5190) | 1/6/2020 |
| 7616.99.5190 | Product Specific | Telescoping poles of aluminum, spring loaded, with ends of plastic, each measuring not less than 1.5 m but not more than 3.7 m in height and 2.9 cm or more but not exceeding 3.6 cm in diameter (described in statistical reporting number 7616.99.5190) | 1/6/2020 |
| 7907.00.6000 | Product Specific | Awning casting pivots, of zinc coated aluminum, weighing not less than 0.6 kg, measuring not less than 9 cm in length, not less than 6 cm in width, and not less than 4 cm in height (described in statistical reporting number 7907.00.6000) | 1/6/2020 |
| 8203.20.6060 | Product Specific | Hand tools of steel, similar to pliers, each capable of crimping, stripping and cutting wire, weighing at least 170 g or more but not exceeding 460 g, and measuring not more than 26 cm by jaw opening size of 30 cm by 11 cm by 2.5 cm (described in statistical reporting number 8203.20.6060) | 1/6/2020 |
| 8203.20.6060 | Product Specific | Hand tools of steel similar to pliers, designed for crimping electrical connectors and cutting wire, each weighing 333 g and measuring no more than 26 cm by 11 cm by 2.5 cm (described in statistical reporting number 8203.20.6060) | 1/6/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8207.19.3090 | Product Specific | Cutting parts for rock drilling or earth boring tools, each containing by weight over 0.2 percent of chromium, molybdenum or tungsten or over 0.1 percent of vanadium (described in statistical reporting number 8207.19.3090) | 1/6/2020 |
| 8215.20.0000 | Product Specific | Sets of flatware of stainless steel, containing no article plated with precious metal, put up for retail sale (described in statistical reporting number 8215.20.0000) | 1/6/2020 |
| 8409.91.9990 | Product Specific | Hydraulic valve lifters of steel with rollers, suitable for use solely or principally with spark-ignition internal combustion piston engines (other than for aircraft engines, marine propulsion engines or for vehicles of subheading 8701.20, or headings 8702, 8703 or 8704), each measuring 5 cm or more but not over 13 cm in length and 2.5 cm or more but not over 3.9 cm in diameter and weighing 135 g or more but not over 410 g (described in statistical reporting number 8409.91.9990) | 1/6/2020 |
| 8409.91.9990 | Product Specific | Solid valve lifters of steel, suitable for use solely or principally with spark-ignition internal combustion piston engines (other than for aircraft engines, marine propulsion engines or for vehicles of subheading 8701.20, or headings 8702, 8703 or 8704), each measuring 19 mm or more but not over 114 mm in length and 6 mm or more but not over 26 mm in diameter and weighing 20 g or more but not over 250 g (described in statistical reporting number 8409.91.9990) | 1/6/2020 |
| 8413.20.0000 | Product Specific | Hand pumps (other than for fuel or lubricants, not fitted or designed to be fitted with a metering device), each used to dispense a metered quantity of liquid soap or sanitizer (described in statistical reporting number 8413.20.0000) | 1/6/2020 |
| 8413.30.9060 | Product Specific | Lubricating pumps for internal combustion piston engines (described in statistical reporting number 8413.30.9060) | 1/6/2020 |
| 8414.20.0000 | Product Specific | Hand- or foot-operated air pumps, each weighing 400 g or more but not over 3 kg, with a maximum pressure of 1.52 MPa, imported with adapters for valves for tires and inner tubes (described in statistical reporting number 8414.20.0000) | 1/6/2020 |
| 8414.59.6540 | Product Specific | Ventilation fans for motor vehicles, consisting of a 12 V DC reversible multispeed electric motor drawing 5 A, with axial fan blade, electrically operating baffle, electric keypad and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540) | 1/6/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 8414.59.6540 | Product Specific | Ventilation fans for motor vehicles, consisting of a 12 V DC single speed electric motor drawing 5 A, with axial fan blade, manual baffle, rotary switch and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540) | 1/6/2020 |
| 8414.59.6595 | Product Specific | 12 V fans of a kind used to disperse fragrance oils, measuring over 10 but not over 11 cm in diameter (described in statistical reporting number 8414.59.6595) | 1/6/2020 |
| 8414.80.1685 | Product Specific | Portable air compressors, each delivering under 0.57 cubic meters per minute (described in statistical reporting number 8414.80.1685) | 1/6/2020 |
| 8425.31.0100 | Product Specific | Winches powered by an electric motor, each weighing 9 kg or more but not exceeding 14 kg, with a pulling capacity of 1,130 kg or more but not exceeding 2,730 kg (described in statistical reporting number 8425.31.0100) | 1/6/2020 |
| 8425.31.0100 | Product Specific | Winches powered by an electric motor, each with a pulling capacity of 4,300 kg or more but not exceeding 7,940 kg (described in statistical reporting number 8425.31.0100) | 1/6/2020 |
| 8479.89.9499 | Product Specific | Ratchet tie down straps, each consisting of straps of textiles measuring not less than 25 mm and not more than 105 mm in width and not more than 12.5 m in length, steel hooks at opposite ends of the straps and a gear and pawl mechanism for adjusting the length of the whole (described in statistical reporting number 8479.89.9499) | 1/6/2020 |
| 8504.40.8500 | Product Specific | Wireless battery chargers for mobile phones, each in the form of a picture frame incorporating a wireless charger or a stand incorporating a wireless charger that permits the mobile phone to be charged while standing on end (described in statistical reporting number 8504.40.8500) | 1/6/2020 |
| 8511.50.0000 | Product Specific | Alternators for motor vehicle charging systems (described in statistical reporting number 8511.50.0000) | 1/6/2020 |
| 8512.30.0040 | Product Specific | Alarms to be installed in motor vehicles, each of which provides either a warning sound or a warning sound and a flashing light when a motor vehicle is being operated in reverse (described in statistical reporting number 8512.30.0040) | 1/6/2020 |
| 8512.90.2000 | Product Specific | Projectors ("trumpets") of plastics for air horns (described in statistical reporting number 8512.90.2000) | 1/6/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|-------------------|--|--------------|
| 8525.80.3010 | Product Specific | Color video cameras for use with microscopes, each camera with C-mount lens mount, weighing not more than 87 g, measuring not more than 109 mm in length and 31 mm in diameter, presented with a cable measuring not more than 1.5 m in length (described in statistical reporting number 8525.80.3010) | 1/6/2020 |
| 8525.80.3010 | Product Specific | Digital color video cameras for use with microscopes, each camera with 10 megapixel resolution, weighing not more than 175 g, measuring 63 mm by 37 mm in length, presented with USB cable, reduction lens, eyepiece adapters, software CD and calibration slide (described in statistical reporting number 8525.80.3010) | 1/6/2020 |
| 8525.80.3010 | Product Specific | Digital color video cameras for use with microscopes, each camera with autofocus, Cmount lens mount, 1080p resolution, weighing not more than 450 g, measuring not more than 67 mm by 67 mm by 81 mm, presented with AC power adapter and power cable (described in statistical reporting number 8525.80.3010) | 1/6/2020 |
| 8539.49.0040 | Product Specific | Ultraviolet lamps used for skin tanning purposes, packaged for retail sale and weighing more than 5 kg but less than 10 kg (described in statistical reporting number 8539.49.0040) | 1/6/2020 |
| 8543.70.8500 | Product Specific | Hand held, battery-powered electrical devices that administer transcutaneous electrical nerve stimulation (TENS) and electrical muscle stimulation (EMS) via adhesive electrode pads attached to the skin (described in statistical reporting number 8543.70.8500) | 1/6/2020 |
| 8544.42.9090 | Product Specific | Insulated conductors, not of a kind used for telecommunications, for a voltage not exceeding 1,000 V, each with polyvinyl chloride (PVC) covers and connectors at each end in bundles of 3, 5 or 6 for use in connecting patients to monitoring devices (described in statistical reporting number 8544.42.9090) | 1/6/2020 |
| 8708.99.5500 | Product Specific | Motor mount kits each consisting of 3 to 5 components, each of stainless-steel or aluminum combined with a heat resistant rubber material and with holes machined for mounting the engine to the car or truck body, designed for use in aftermarket automotive repair (described in statistical reporting number 8708.99.5500) | 1/6/2020 |
| 8708.99.8180 | Product Specific | Wear bars comprising strips of carbide for the vehicles of 8703.10.10 (described in statistical reporting number 8708.99.8180) | 1/6/2020 |
| 8712.00.1510 | Entire Subheading | Bicycles and other cycles (including delivery tricycles), not motorized: having both wheels not exceeding 50 cm in diameter | 1/6/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|-------------------|--|---------------------|
| 8712.00.1550 | Entire Subheading | Bicycles and other cycles (including delivery tricycles), not motorized: having both wheels exceeding 55 cm in diameter but not exceeding 63.5 cm in diameter | 1/6/2020 |
| 8714.95.0000 | Product Specific | Bicycle saddles, each having a cover of plastics, man-made textile fabrics or a combination of the two (described in statistical reporting number 8714.95.0000) | 1/6/2020 |
| 9011.80.0000 | Product Specific | Compound binocular optical microscopes (other than stereoscopic microscopes and microscopes for photomicrography, cinemicrography or microprojection), each with magnification of 40X or more but not exceeding 1,000X, weighing not more than 3 kg (described in statistical reporting number 9011.80.0000) | 1/6/2020 |
| 9011.80.0000 | Product Specific | Compound optical microscopes (other than stereoscopic microscopes and microscopes for photomicrography, cinemicrography or microprojection), each with magnification of 40X or more but not exceeding 400X, weighing not more than 15 kg (described in statistical reporting number 9011.80.0000) | 1/6/2020 |
| 9401.71.0031 | Product Specific | Stackable upholstered metal chairs for religious worship settings, capable of interlocking with each other, each with attached holders and racks (described in statistical reporting number 9401.71.0031) | 1/6/2020 |
| 9401.79.0035 | Product Specific | Hunting stands of steel or aluminum (including ladder stands, pod stands, hang-on stands and climbing stands), each of which allows one or more hunters to ascend to a height and sit while waiting for game animals to appear (described in statistical reporting number 9401.79.0035) | 1/6/2020 |
| 9401.90.4080 | Product Specific | Parts of chairs of unfinished plywood, including bodies, legs and arms (described in statistical reporting number 9401.90.4080) | 1/6/2020 |
| 9401.90.5081 | Product Specific | Chair frames of metal, each with integral bookshelf, capable of being stacked (described in statistical reporting number 9401.90.5081) | 1/6/2020 |
| 9403.20.0090 | Product Specific | Folding wheeled trays, each having a fixed height of no more than 90 cm and a tray measuring not more than 37 cm by 40 cm (described in statistical reporting number 9403.20.0090) | 1/6/2020 |
| 9403.20.0090 | Product Specific | Wheeled trays, each with 5 wheels, 3 bowls of plastic with suction cup bottoms and adjustable height from 65 cm to 108 cm (described in statistical reporting number 9403.20.0090) | 1/6/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|---|--|--------------|
| 9403.90.6005 | Product Specific | Baby crib liners, each composed of two pieces of multi-layer warp polyester knit mesh without any padding, one measuring no more than 29 cm by 283 cm and the other measuring no more than 29 cm by 210 cm (described in statistical reporting number 9403.90.6005) | 1/6/2020 |
| 9405.40.8440 | Product Specific | Flexible strips having embedded light-emitting diodes electrically connected to a molded electrical end connector, each strip wound onto a reel measuring not more than 25 cm in diameter and not more than 1.5 cm in width (described in statistical reporting number 9405.40.8440) | 1/6/2020 |
| 9405.40.8440 | Product Specific | Light boxes, each measuring not more than 32 cm by 58 cm by 12 cm, weighing less than 10 kg, with two biaxial fluorescent lamps that provide light therapy for seasonal and sleep disorders (described in statistical reporting number 9405.40.8440) | 1/6/2020 |
| 0304.83.5015 | Product Specific | Alaskan sole (yellowfin, rock or flathead), frozen in blocks, in cases with net weight of more than 4.5 kg (described in statistical reporting number 0304.83.5015) | 2/5/2020 |
| 0304.83.5015 | Product Specific/ <i>Entire Subheading</i> | Sole fillets, individually frozen, each fillet weighing more than 50 g but less than 150 g (described in statistical reporting number 0304.83.5015) <i>CORRECTED (3/26/2020) and revised language: 0304.83.5015</i> | 2/5/2020 |
| 0304.83.5020 | Product Specific/ <i>Entire Subheading</i> | Alaskan plaice, frozen in blocks, in cases each with net weight of more than 4.5 kg (described in statistical reporting number 0304.83.5020) <i>CORRECTED (3/26/2020) and revised language: 0304.83.5020</i> | 2/5/2020 |
| 0304.83.5020 | Product Specific | Individually frozen fillets of flounder, including Arrowtooth Flounder (<i>Atheresthes stomias</i>) and Kamchatka Flounder (<i>Atheresthes evermanni</i>), each weighing 80 g or more but not exceeding 200 g (described in statistical reporting number 0304.83.5020) | 2/5/2020 |
| 0306.19.0061 | Product Specific | Slipper lobster meat (<i>Ibicus ciliatus</i>), frozen, raw, whether whole or in pieces, put up for sale in bags each with a net weight of not more than 2.27 kg (described in statistical reporting number 0306.19.0061) | 2/5/2020 |
| 1605.10.2010 | Product Specific | King crab meat, frozen in blocks each weighing at least 1 kg but not more than 1.2 kg, in airtight containers (described in statistical reporting number 1605.10.2010) | 2/5/2020 |
| 1605.10.2022 | Product Specific | Snow crab meat (<i>C. opilio</i>), frozen in blocks, in airtight containers each with net weight of not more than 1.2 kg (described in statistical reporting number 1605.10.2022) | 2/5/2020 |
| 1605.10.2030 | Product Specific | Dungeness crab meat, frozen in blocks, in airtight containers with net weight of not more than 1.2 kg (described in statistical reporting number 1605.10.2030) | 2/5/2020 |

Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 1605.10.2090 | Product Specific | Crab meat (other than King crab, Snow crab, Dungeness or swimming crabs), frozen in blocks, in airtight containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090) | 2/5/2020 |
| 2811.22.1000 | Product Specific | Synthetic silica gel, in granules measuring 0.25 to 0.6 mm in diameter, put up in retail packaging, of a kind used for drying and preserving flowers (described in statistical reporting number 2811.22.1000) | 2/5/2020 |
| 2811.29.5000 | Product Specific | Nitrous oxide (dinitrogen monoxide) (CAS No. 10024-97-2), pressurized to 250 bars in cylindrical, zinc-coated, steel cartridges, each measuring not more than 18.1 mm in diameter and not more than 65.6 mm in length, containing not more than 8.3 g of nitrous oxide (described in statistical reporting number 2811.29.5000) | 2/5/2020 |
| 3101.00.0000 | Product Specific | Fertilizer, derived from soybeans, powdered, put up in bags each with net weight of 23 kg, of which 14 percent by weight is nitrogen (N) and containing no phosphorus (P) or potassium (K) (described in statistical reporting number 3101.00.0000) | 2/5/2020 |
| 3402.20.1100 | Product Specific | Laundry detergent powder, put up for retail sale, whether as powder or as water-soluble, pre-measured pods (described in statistical reporting number 3402.20.1100) | 2/5/2020 |
| 3808.93.1500 | Product Specific | Herbicide consisting of 1,1'-dimethyl-4,4'-bipyridinium dichloride (CAS No. 1910-42-5) (Paraquat concentrate in liquid form) up to 45 percent concentration with application adjuvants (described in statistical reporting number 3808.93.1500) | 2/5/2020 |
| 3815.11.0000 | Product Specific | Supported nickel-based catalysts, of a kind used for methanation, desulfurization, hydrogenation, pre-reforming or reforming of organic chemicals or for protection of hydrotreating catalysts from arsine poisoning (described in statistical reporting number 3815.11.0000) | 2/5/2020 |
| 3815.19.0000 | Product Specific | Supported catalysts for high-temperature shift reactions for ammonia, hydrogen, and methanol, with carbon monoxide or carbon dioxide as the active ingredients (described in statistical reporting number 3815.19.0000) | 2/5/2020 |
| 3815.19.0000 | Product Specific | Supported catalysts for polymerization (described in statistical reporting number 3815.19.0000) | 2/5/2020 |
| 3815.19.0000 | Product Specific | Supported catalysts of cuprous oxide and zinc oxide as the active ingredients for arsine removal (described in statistical reporting number 3815.19.0000) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|---------------------|
| 3815.19.0000 | Product Specific | Supported catalysts with alumina as the active substance for chlorine removal (described in statistical reporting number 3815.19.0000) | 2/5/2020 |
| 3815.19.0000 | Product Specific | Supported catalysts with copper carbonate or zinc carbonate as the active ingredients for low temperature desulfurization (described in statistical reporting number 3815.19.0000) | 2/5/2020 |
| 3815.19.0000 | Product Specific | Supported catalysts with metal sulfide as the active substance for mercury removal (described in statistical reporting number 3815.19.0000) | 2/5/2020 |
| 3815.19.0000 | Product Specific | Supported catalysts with molybdenum compounds as the active substance for hydrogenation (described in statistical reporting number 3815.19.0000) | 2/5/2020 |
| 3815.19.0000 | Product Specific | Supported catalysts with zinc oxide absorbent as the active substance (described in statistical reporting number 3815.19.0000) | 2/5/2020 |
| 3918.10.1000 | Product Specific | Floor coverings of polymers of vinyl chloride, with a rigid core of wood powder composite, with planks glued together, each measuring not less than 115 cm but not more than 130 cm in length (described in statistical reporting number 3918.10.1000) | 2/5/2020 |
| 3923.29.0000 | Product Specific | Bags of plastic certified by the Biodegradable Products Institute as being compostable, each measuring 43 cm or more but not more than 107 cm in width and 45 cm or more but not more than 122 cm in length, of sheet or film measuring 0.02 mm or more but not more than 0.056 mm in thickness (described in statistical reporting number 3923.29.0000) | 2/5/2020 |
| 4011.50.0000 | Product Specific | New pneumatic tires of rubber of a kind used on bicycles, each having a carbon steel wire-reinforced bead and weighing not more than 2.27 kg each (described in statistical reporting number 4011.50.0000) | 2/5/2020 |
| 4015.19.1010 | Product Specific | Seamless disposable gloves of acrylonitrile butadiene rubber, other than for surgical or medical use (described in statistical reporting number 4015.19.1010) | 2/5/2020 |
| 4015.19.1010 | Product Specific | Seamless disposable gloves of natural rubber latex, other than for surgical or medical use (described in statistical reporting number 4015.19.1010) | 2/5/2020 |
| 4202.22.8100 | Product Specific | Bags of woven nylon with leather trim, each having a metal slide fastener and a locking mechanism on one end of the bag to prevent the slide fastener from opening, measuring 11 cm or more but not more than 20 cm in length, 5 cm or more but not more than 9 cm in width, and 7 cm or more but not more than 12 cm in height (described in statistical reporting number 4202.22.8100) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 4202.92.9100 | Product Specific | Zippered containers with outer surface of polyester fabric, each measuring not over 170 mm by 95 mm by 30 mm, with clear touch- sensitive polyvinyl chloride front window, such containers mounted on armband (described in statistical reporting number 4202.92.9100) | 2/5/2020 |
| 4421.99.9780 | Product Specific | Poles, finials, tiebacks and similar drapery hardware of wood (described in statistical reporting number 4421.99.9780) | 2/5/2020 |
| 4821.10.4000 | Product Specific | Paper and paperboard printed labels, personalized, not lithographic, on matte self-adhesive stock, with foil embellishments, each measuring 2 cm or more but not more than 6 cm in diameter, on sheets measuring not more than 21 cm in width and not more than 29 cm in length, packaged in a sealed direct mail package (described in statistical reporting number 4821.10.4000) | 2/5/2020 |
| 4823.90.8600 | Product Specific | Drinking straws of paper, each measuring 12.5 cm or more but not more than 26.5 cm in length and 5 mm or more but not more than 10 mm in diameter (described in statistical reporting number 4823.90.8600) | 2/5/2020 |
| 5516.92.0060 | Product Specific | Dyed sateen fabric containing artificial staple fibers, measuring 292.1 cm in width (described in statistical reporting number 5516.92.0060) | 2/5/2020 |
| 5705.00.2030 | Product Specific | Rugs of 100 percent polyester or polypropylene, with brass grommets and stainless steel springs, each measuring at least 44 cm by 45 cm but not exceeding 56 cm by 59 cm (described in statistical reporting number 5705.00.2030) | 2/5/2020 |
| 5903.90.2000 | Product Specific | Fabrics of 100 percent polyester, silicone coated, of a kind suitable for upholstery, weighing more than 90 g/m ² , meeting ASTM International standard G21, American Association of Textile Chemists and Colorists (AATCC) standards 147-2004 and 30 and Chemical Fabric & Film Association (CFFA) standard 141 method II (described in statistical reporting number 5903.90.2000) | 2/5/2020 |
| 7001.00.5000 | Product Specific | Cullet of clear soda-lime glass to be used for the production of continuous filament mats (described in statistical reporting number 7001.00.5000) | 2/5/2020 |
| 7006.00.4050 | Product Specific | Glass shells fitted for incorporation into glass insulators for use in the transmission of electricity (described in statistical reporting number 7006.00.4050) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 7009.10.0000 | Product Specific | Rear-view mirrors of convex glass for motor vehicles, each measuring not less than 1.75 mm and not more than 2.4 mm in thickness, not less than 125 mm and not more than 210 mm in length, not less than 97 mm and not more than 180 mm in width, weighing not less than 74 g and not more than 188 g (described in statistical reporting number 7009.10.0000) | 2/5/2020 |
| 7009.10.0000 | Product Specific | Rear-view mirrors of flat glass for motor vehicles, each measuring not less than 1.75 mm but not more than 2.4 mm in thickness, not less than 163 mm but not more than 210 mm in length, not less than 107 mm but not more than 167 mm in width and weighing not less than 80 g but not more than 188 g (described in statistical reporting number 7009.10.0000) | 2/5/2020 |
| 7019.39.1090 | Product Specific | Non-woven fiberglass and polyester composite panels, each panel measuring not less than 120 cm by 242 cm, and not less than 2 mm but not more than 10 mm in thickness (described in statistical reporting number 7019.39.1090) | 2/5/2020 |
| 7318.15.2046 | Product Specific | Bent bolts, tube nuts, of cold-heading quality carbon steel, measuring 18.75 mm in length and 19.50 mm in outside diameter (described in statistical reporting number 7318.15.2046) | 2/5/2020 |
| 7321.90.6060 | Product Specific | Furnace manifold and orifice holder assemblies of steel, with an internal thread and welded flat plate with screw holes, measuring not less than 15 cm in length, not less than 8 cm in width, and not less than 10 cm in height (described in statistical reporting number 7321.90.6060) | 2/5/2020 |
| 7326.90.8688 | Product Specific | Cable hooks of steel, each weighing not less than 0.2 kg, measuring not less than 9 cm in length, not less than 5 cm in width and not less than 1 cm in height with spring loaded closure gate (described in statistical reporting number 7326.90.8688) | 2/5/2020 |
| 7326.90.8688 | Product Specific | Registers, grills and diffusers of steel, of the type used for duct openings of heating and ventilating systems (described in statistical reporting number 7326.90.8688) | 2/5/2020 |
| 7326.90.8688 | Product Specific | Awning stabilizer kits, each comprising two zinc-plated steel constructed spiral stakes with two rolls of cord or two pull-tension straps, weighing not more than 2 kg (described in statistical reporting number 7326.90.8688) | 2/5/2020 |
| 7418.20.1000 | Product Specific | Toilet paper holders of brass with chrome or nickel finish (described in statistical reporting number 7418.20.1000) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|-------------------|---|--------------|
| 8202.99.0000 | Product Specific | Hole saw cups, tungsten carbide tipped or bi-metal, measuring not less than 18.5 mm but not more than 166 mm in diameter (described in statistical reporting number 8202.99.0000) | 2/5/2020 |
| 8204.20.0000 | Product Specific | Sockets of zinc-plated alloy steel to fit 19 mm hex, each with quick-connect shaft, weighing not more than 250 g (described in statistical reporting number 8204.20.0000) | 2/5/2020 |
| 8207.30.6032 | Product Specific | Stamping dies of A2 or D2 tool steel, each measuring not less than 60 cm by 60 cm by 32 cm and not more than 370 cm by 155 cm by 125 cm, weighing not less than 1,360 kg or more but not more than 5,450 kg, of a kind suitable for stamping steel or aluminum (described in statistical reporting number 8207.30.6032) | 2/5/2020 |
| 8302.30.3060 | Product Specific | Ladder hooks and supports of polyethylene coated steel suitable for carrying waste tanks of recreational vehicles, each weighing not more than 2 kg (described in statistical reporting number 8302.30.3060) | 2/5/2020 |
| 8302.30.3060 | Product Specific | Push bars of aluminum for screen doors of recreational vehicles, each adjustable in length from not less than 500 mm to not more than 825 mm, weighing not more than 600 g (described in statistical reporting number 8302.30.3060) | 2/5/2020 |
| 8302.41.9080 | Product Specific | Awning roller bar hanging mountings of polyvinyl chloride for recreational vehicles, each with S-hook hangers having a capacity of not more than 7 kg, weighing not more than 200 g (described in statistical reporting number 8302.41.9080) | 2/5/2020 |
| 8413.20.0000 | Product Specific | Hand pumps for liquids (other than those of subheading 8413.11 or 8413.19) of acrylonitrile butadiene styrene (ABS) plastics (described in statistical reporting number 8413.20.0000) | 2/5/2020 |
| 8414.20.0000 | Product Specific | Hand-operated pumps, weighing 350 g each, designed to inflate or deflate sports balls (described in statistical reporting number 8414.20.0000) | 2/5/2020 |
| 8425.31.0100 | Entire Subheading | Winches and capstans powered by electric motors | 2/5/2020 |
| 8452.29.9000 | Product Specific | Sewing machines, not of the household type, not specially designed to join footwear soles to uppers; each such machine weighing 45 kg or more but not over 140 kg, suitable for sewing leather (described in statistical reporting number 8452.29.9000) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 8481.80.1020 | Product Specific | Bath and shower faucets of copper, each consisting of a valve in which the temperature of the water exiting the faucet is controlled by an adjustable thermostat set to the user's desire, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020) | 2/5/2020 |
| 8481.80.1020 | Product Specific | Bath and shower faucets of copper, each consisting of a valve to control flow of water, with one inlet port and one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020) | 2/5/2020 |
| 8481.80.1020 | Product Specific | Bath and shower faucets of copper, each consisting of a valve to direct flow of water, with one inlet port and two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020) | 2/5/2020 |
| 8481.80.1020 | Product Specific | Hand-operated shower faucets of copper, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020) | 2/5/2020 |
| 8481.80.1020 | Product Specific | Water pressure balance valves of brass, each with 1.91 cm inlet and 1.27 cm outlets (described in statistical reporting number 8481.80.1020) | 2/5/2020 |
| 8481.80.1020 | Product Specific | Water pressure balance valves of copper, each with 1.27 cm inlets and 1.27 cm outlets (described in statistical reporting number 8481.80.1020) | 2/5/2020 |
| 8481.80.1020 | Product Specific | Water pressure balance valves of copper, each with 1.91 cm inlets and 1.91 cm outlets (described in statistical reporting number 8481.80.1020) | 2/5/2020 |
| 8481.80.1030 | Product Specific | Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through one hole (described in statistical reporting number 8481.80.1030) | 2/5/2020 |
| 8481.80.1030 | Product Specific | Faucets of copper having a pressure rating under 850 kPa, for sinks and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030) | 2/5/2020 |
| 8481.80.1030 | Product Specific | Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted through two holes of which the distance between the centers of the holes is 20.3 cm (described in statistical reporting number 8481.80.1030) | 2/5/2020 |
| 8481.80.1040 | Product Specific | Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number 8481.80.1040) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|---------------------|
| 8481.80.5090 | Product Specific | Hand-operated valves of plastics, each comprising a bottle lid, drinking spout and flavor dispensing valve (described in statistical reporting number 8481.80.5090) | 2/5/2020 |
| 8481.80.5090 | Product Specific | Hand-operated valves of acrylonitrile butadiene styrene (ABS) plastic, each a hand operated, quarter-turn ball valve, threaded at one end to receive male end of U.S. garden hose (described in statistical reporting number 8481.80.5090) | 2/5/2020 |
| 8481.80.9015 | Product Specific | Pressure regulating valves of brass, adjustable, each threaded to fit U.S. garden hose, having a maximum input pressure setting of 1.1 MPa, weighing no more than 750 g (described in statistical reporting number 8481.80.9015) | 2/5/2020 |
| 8501.40.4040 | Product Specific | AC fan motors, single phase, of an output not exceeding 500 W, with motor and shaft measuring not more than 40 cm in length, specially designed for the heat pump of a recreational vehicle (described in statistical reporting number 8501.40.4040) | 2/5/2020 |
| 8504.40.9550 | Product Specific | Solar-powered battery chargers, each consisting of an ABS plastic housing, a solar panel charger and a 6 V or 12 V sealed lead acid battery (described in statistical reporting number 8504.40.9550) | 2/5/2020 |
| 8512.90.6000 | Product Specific | Printed circuit board assemblies of a kind used in motor vehicle lighting systems (described in statistical reporting number 8512.90.6000) | 2/5/2020 |
| 8519.81.3020 | Product Specific | Game calling devices, imported with or without remote control devices, used in hunting to simulate the sound of animals to attract game (described in statistical reporting number 8519.81.3020) | 2/5/2020 |
| 8534.00.0020 | Product Specific | Printed circuit boards, each with a base wholly of plastics impregnated glass, not flexible, with 4 layers of copper (described in statistical reporting number 8534.00.0020) | 2/5/2020 |
| 8534.00.0040 | Product Specific | Printed circuit boards, each with a base wholly of plastics impregnated glass, not flexible, with 2 layers of copper (described in statistical reporting number 8534.00.0040) | 2/5/2020 |
| 8536.69.8000 | Product Specific | Floor-mounted receptacles conforming to types 1-15R, 5-15R or 5-20R of the National Electrical Manufacturers Association (NEMA) (described in statistical reporting number 8536.69.8000) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|-------------------|--|--------------|
| 8536.69.8000 | Product Specific | Locking adapter plugs, each with National Electrical Manufacturers Association (NEMA) type 5-15P plug and NEMA type SS2-50R receptacle, NEMA type 5-15P plug and NEMA type L5-30R receptacle, NEMA type TT-30P plug and NEMA type SS2-50R receptacle or NEMA type TT-30P plug and NEMA type L5-30R receptacle, for connecting to standard 15 A and 30 A residential outlets and power pedestals (described in statistical reporting number 8536.69.8000) | 2/5/2020 |
| 8536.69.8000 | Product Specific | Male electrical plugs of polycarbonate plastics with brass terminals, each conforming to types TT-30P or 14-50P of the National Electrical Manufacturers Association (NEMA), with a handle in the shape of a loop (described in statistical reporting number 8536.69.8000) | 2/5/2020 |
| 8544.42.9010 | Product Specific | Extension cords of copper wire with polyvinyl chloride (PVC) sheaths, for a voltage not exceeding 1,000 V, each measuring at least 9 m but not longer than 16 m in length, with National Electrical Manufacturers Association (NEMA) type 5-15P plug on one end and NEMA type 5-15R receptacle on the other (described in statistical reporting number 8544.42.9010) | 2/5/2020 |
| 8544.42.9090 | Product Specific | Extension cords of copper wire with polyvinyl chloride (PVC) sheaths, for a voltage not exceeding 1,000 V, each measuring at least 4 m but not longer than 16 m in length, with National Electrical Manufacturers Association (NEMA) type TT-30P plug on one end and NEMA type TT- 30R receptacle on the other or NEMA type 14-50P plug on one end and NEMA type 14-50R receptacle on the other, with handles on each end in the shape of loops (described in statistical reporting number 8544.42.9090) | 2/5/2020 |
| 8708.29.5060 | Product Specific | Cup holder assemblies, designed to be incorporated in the vehicles of headings 8701 to 8705 (described in statistical reporting number 8708.29.5060) | 2/5/2020 |
| 8708.29.5060 | Product Specific | Devices for mounting phones on motor vehicle interiors without a Universal Serial Bus (USB) charging port (described in statistical reporting number 8708.29.5060) | 2/5/2020 |
| 8708.93.7500 | Entire Subheading | Parts of clutches for vehicles (except for tractors suitable for agricultural use), others. | 2/5/2020 |
| 8708.99.8180 | Product Specific | Hitches receivers of steel, not suitable for towing applications, each receiver to be clamped onto the rear bumper of a recreational vehicle, such bumpers being square in section and measuring not more than 102 mm on a side (described in statistical reporting number 8708.99.8180) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|---------------------|
| 8708.99.8180 | Product Specific | Tank holders of steel, designed to be mounted to the external rear bumper of a recreational vehicle, to safely secure portable holding tanks while the vehicle is in motion (described in statistical reporting number 8708.99.8180) | 2/5/2020 |
| 8712.00.3500 | Product Specific | Bicycles, not motorized, each having both wheels exceeding 63.5 cm in diameter, fixed gearing and a coaster brake (described in statistical reporting number 8712.00.3500) | 2/5/2020 |
| 8712.00.3500 | Product Specific | Bicycles, not motorized, having both wheels exceeding 63.5 cm in diameter, each having no more than three speeds and a coaster brake (described in statistical reporting number 8712.00.3500) | 2/5/2020 |
| 8716.40.0000 | Product Specific | Wheeled trailers suitable for towing behind an adult bicycle, each comprising a frame of aluminum with a hitch mechanism, weighing not more than 17.5 kg, with a capacity of not more than 46 kg, with those trailers designated for carrying children meeting ASTM International standard F1975 (described in statistical reporting number 8716.40.0000) | 2/5/2020 |
| 8903.99.0500 | Product Specific | Kayaks of high-density polyethylene, not inflatable (described in statistical reporting number 8903.99.0500) | 2/5/2020 |
| 9015.30.4000 | Product Specific | Electrical levels, each with four indicator lights that change from red to green when the surface on which the device rests is horizontal (described in statistical reporting number 9015.30.4000) | 2/5/2020 |
| 9016.00.2000 | Product Specific | Digital electronic balances of 5 cg or better sensitivity, battery powered, with outer housings of plastic, furnished with bowls or stainless steel platforms (described in statistical reporting number 9016.00.2000) | 2/5/2020 |
| 9029.10.8000 | Product Specific | Hand-held card counters, each consisting of a plastic case containing a circuit board, rechargeable battery and controls, weighing less than 1 kg (described in statistical reporting number 9029.10.8000) | 2/5/2020 |
| 9401.61.6011 | Product Specific | Upholstered seats with wooden frames other than chairs, not of cane, osier, bamboo or similar materials, each measuring at least 144 cm but no more than 214 cm in width, at least 81 cm but no more than 89 cm in height and at least 81 cm but not more than 163 cm in depth (described in statistical reporting number 9401.61.6011) | 2/5/2020 |
| 9401.90.5021 | Product Specific | Covers or shell liners of textile material, cut and sewn to shape, for the seats of heading 9401 (described in statistical reporting number 9401.90.5021) | 2/5/2020 |

Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--|------------------|--|--------------|
| 9401.90.5021 | Product Specific | Parts of seats (other than of seats of a kind used for motor vehicles or of bent- wood seats), consisting of fabric material cut to shape, including liner parts, partially sewn, with zippered cushions, weld cords or piping (described in statistical reporting number 9401.90.5021) | 2/5/2020 |
| 9401.90.5081 | Product Specific | Parts of seats (other than of seats of a kind used for motor vehicles or of bent- wood seats), consisting of leather cut to shape, including liner parts, partially sewn, with zippered cushions, weld cords or piping (described in statistical reporting number 9401.90.5081) | 2/5/2020 |
| 9403.20.0050 | Product Specific | Household furniture of metal and high-pressure laminated bamboo (other than ironing boards, furniture for infants or children or bed frames) (described in statistical reporting number 9403.20.0050) | 2/5/2020 |
| 9403.20.0050 | Product Specific | Lockers, of steel (described in statistical reporting number 9403.20.0050) | 2/5/2020 |
| 9403.20.0080 prior to July 1, 2019; 9403.20.0081 effective July 1, 2019 | Product Specific | Display racks of powder coated steel, whether or not on casters, whether or not with LED lighting, each measuring at least 60 cm but not more than 125 cm in length, at least 60 cm but not more than 125 cm in width and at least 130 cm but not more than 225 cm in height, with slanted shelves with a lip at the front edge of each that measures 3 cm or more in height (described in statistical reporting number 9403.20.0080 prior to July 1, 2019; described in statistical reporting number 9403.20.0081 effective July 1, 2019) | 2/5/2020 |
| 9403.20.0080 prior to July 1, 2019;9403.20.0081 effective July 1, 2019 | Product Specific | Display tables of steel, each measuring not less than 92 cm but not more than 254 cm in width, not less than 46 cm but not more than 221 cm in depth, and not less than 66 cm but not more than 120 cm in height, with a steel lip around the entire top perimeter edge measuring not more than 3 cm in height, with plastic risers (described in statistical reporting number 9403.20.0080 prior to July 1, 2019; described in statistical reporting number 9403.20.0081 effective July 1, 2019) | 2/5/2020 |
| 9403.82.0015 | Product Specific | Household furniture of high-pressure laminated bamboo, other than babies' or children's furniture (described in statistical reporting number 9403.82.0015) | 2/5/2020 |
| 9403.89.6003 | Product Specific | Bassinets, composed of polyester fabric with frames of steel tubing and partial solid wood rails, each measuring 86 cm by 51 cm by 86 cm, weighing 12 kg, with adjustable height legs on wheels (described in statistical reporting number 9403.89.6003) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 9403.90.8041 | Product Specific | Parts of lockers, of steel (described in statistical reporting number 9403.90.8041) | 2/5/2020 |
| 9405.10.6020 | Product Specific | Ceiling luminaires of aluminum, with light-emitting diodes (LEDs), measuring at least 26 cm but not exceeding 39 cm in diameter, operating at 120 V or more but not exceeding 277 V, other than for household use (described in statistical reporting number 9405.10.6020) | 2/5/2020 |
| 9405.10.6020 | Product Specific | Troffers of aluminum incorporating light-emitting diodes (LEDs), measuring no more than 61 cm by 122 cm, other than for household use (described in statistical reporting number 9405.10.6020) | 2/5/2020 |
| 9405.10.6020 | Product Specific | Troffers of aluminum incorporating light-emitting diodes (LEDs), measuring no more than 61 cm by 61 cm, with selectable correlated color temperature, other than for household use (described in statistical reporting number 9405.10.6020) | 2/5/2020 |
| 9405.20.6010 | Product Specific | Electric household floor-standing lamps, of base metal other than brass, each measuring not more than 2 m in height (described in statistical reporting number 9405.20.6010) | 2/5/2020 |
| 9405.20.6010 | Product Specific | Electric household table or desk lamps, of base metal other than brass, each measuring not more than 92 cm in height (described in statistical reporting number 9405.20.6010) | 2/5/2020 |
| 9405.20.8010 | Product Specific | Electric household floor-standing lamps, of crystal, each measuring more than 36 cm but not more than 200 cm in height (described in statistical reporting number 9405.20.8010) | 2/5/2020 |
| 9405.20.8010 | Product Specific | Electric household table or desk lamps, of ceramics, each measuring not more than 92 cm in height (described in statistical reporting number 9405.20.8010) | 2/5/2020 |
| 9405.20.8010 | Product Specific | Electric household table or desk lamps, of concrete, each measuring not more than 92 cm in height (described in statistical reporting number 9405.20.8010) | 2/5/2020 |
| 9405.20.8010 | Product Specific | Electric household table or desk lamps, of crystal, each measuring not more than 92 cm in height (described in statistical reporting number 9405.20.8010) | 2/5/2020 |
| 9405.20.8010 | Product Specific | Electric household table or desk lamps, of glass, each measuring not more than 92 cm in height (described in statistical reporting number 9405.20.8010) | 2/5/2020 |
| 9405.20.8010 | Product Specific | Electric household table or desk lamps, of marble, each measuring not more than 92 cm in height (described in statistical reporting number 9405.20.8010) | 2/5/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|-------------------------------|------------------|---|--------------|
| 9405.20.8010 | Product Specific | Electric household table or desk lamps, of polyester resin or plastics, each measuring not more than 92 cm in height (described in statistical reporting number 9405.20.8010) | 2/5/2020 |
| 9405.40.8410 | Product Specific | Outdoor lighting sets, each containing 6 or 10 polycarbonate bulb sockets (described in statistical reporting number 9405.40.8410) | 2/5/2020 |
| 9405.40.8440 | Product Specific | Flexible strips, each having embedded light-emitting diodes electrically connected to a molded electrical end connector, each strip wound onto a reel measuring not more than 25 cm in diameter and not more than 1.5 cm in width (described in statistical reporting number 9405.40.8440) | 2/5/2020 |
| 8413.70.2004 | Product Specific | Centrifugal pumps, submersible, designed for use in artificial lift systems for extracting oil and gas (described in statistical reporting number 8413.70.2004) | 2/11/2020 |
| 8413.91.9050; 8413.91.9060 | Product Specific | tons and housings for hydraulic fluid power pumps of the type used in power lawn mowers (described in statistical reporting number 8413.91.9050 prior to January 1, 2019; described in statistical reporting number 8413.91.9060 effective January 1, 2019) | 2/11/2020 |
| 8417.90.0000 | Product Specific | Furnace roll end-shafts of steel (described in statistical reporting number 8417.90.0000) | 2/11/2020 |
| 8501.52.4000 | Product Specific | Multi-phase AC motors of an output of at least 5.8 kW but not exceeding 14.92 kW, each assembled with planetary gears and a gearbox (described in statistical reporting number 8501.52.4000) | 2/11/2020 |
| 2823.00.0000 | Product Specific | Titanium dioxide (CAS No. 13463-67-7) (described in statistical reporting number 2823.00.0000) | 2/20/2020 |
| 2940.00.6000 | Product Specific | D-Ribose (CAS No. 50-69-1) (described in statistical reporting number 2940.00.6000) | 2/20/2020 |
| 4016.99.6010 | Product Specific | Mechanical articles for motor vehicles, of vulcanized rubber other than hard rubber, each comprising a guide or a stopper for a sunroof or sunshade and weighing not more than 4 g (described in statistical reporting number 4016.99.6010) | 2/20/2020 |
| 4202.92.3131 | Product Specific | Stuff sacks with outer surface of textiles of man-made fibers, each measuring 77.5 cm or more but not over 127.7 cm in circumference, cylindrical in shape with a single compartment, a drawstring closure at one end and a strap at the other end of the sack (described in statistical reporting number 4202.92.3131) | 2/20/2020 |
| 4205.00.8000 | Product Specific | Covers, of leather, designed for use with telecommunication devices (described in statistical reporting number 4205.00.8000) | 2/20/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 4412.99.5105 | Product Specific | Two-layer wood flooring consisting of a non-coniferous wood veneer measuring at least 0.6 mm but not more than 1.2 mm in thickness laminated to a single-layer base of fiberboard, each board measuring at least 9 cm but not more than 21 cm in width, at least 35 cm but not more than 1.9 m in length and at least 5 mm but not more than 12 mm in thickness (described in statistical reporting number 4412.99.5105) | 2/20/2020 |
| 4420.90.8000 | Product Specific | Desk accessories of medium density fiberboard, painted or stained, including but not limited to desk organizers, letter trays, business card holders, incline files, pencil cups, note holders, corner shelves, monitor risers, magazine holders, book ends and storage caddies, each weighing at least 0.06 kg but not more than 5.5 kg, measuring at least 10 cm but not more than 35 cm in length, at least 4 cm but not more than 43 cm in width and at least 4.5 cm or more but not more than 30 cm in height (described in statistical reporting number 4420.90.8000) | 2/20/2020 |
| 5208.11.4090 | Product Specific | Fabrics wholly of cotton, unbleached, plain weave, weighing not more than 100 g/m ² , of numbers 43 to 68 ("cheesecloth"), 3-layer folded and crimped, less than 28 cm wide after folding and crimping, compliant with standards of Aerospace Management Services (AMS) (described in statistical reporting number 5208.11.4090) | 2/20/2020 |
| 5208.21.4090 | Product Specific | Fabrics wholly of cotton, bleached, plain weave, weighing not more than 100 g/m ² , of numbers 43 to 68 ("cheesecloth"), compliant with standards of Aerospace Management Services (AMS) (described in statistical reporting number 5208.21.4090) | 2/20/2020 |
| 5407.92.2090 | Product Specific | Woven fabrics of synthetic filament yarn, dyed, weighing more than 280 g/m ² but not more than 420 g/m ² (described in statistical reporting number 5407.92.2090) | 2/20/2020 |
| 5516.44.0022 | Product Specific | Sheeting fabrics containing less than 85 percent by weight of artificial staple fibers, mixed mainly or solely with cotton, such artificial staple fibers derived from wood, printed (described in statistical reporting number 5516.44.0022) | 2/20/2020 |
| 5603.94.9090 | Product Specific | Non-woven fabrics of polyethylene terephthalate (PET), in sheets measuring not more than 160 cm by 250 cm, weighing more than 1,800 g/m ² but not more than 3,000 g/m ² (described in statistical reporting number 5603.94.9090) | 2/20/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|---------------------|
| 6001.92.0010 | Product Specific | Fabrics wholly of polyester, warp knit, bonded to a plain weave backing fabric, measuring not more than 141 cm in width, weighing over 271 g/m2, of a kind used to upholster furniture (described in statistical reporting number 6001.92.0010) | 2/20/2020 |
| 6003.40.6000 | Product Specific | Knitted or crocheted fabrics of artificial staple fibers derived from bamboo (described in statistical reporting number 6003.40.6000) | 2/20/2020 |
| 6005.39.0080 | Product Specific | Fabrics wholly of polyester, warp knit, printed, bonded to a woven backing wholly of polyester, weighing not less than 290 g/m2 but not more than 500 g/m2, of a kind used to upholster furniture (described in statistical reporting number 6005.39.0080) | 2/20/2020 |
| 7321.11.1060 | Product Specific | Portable outdoor cookers, each consisting of a burner and stand made from steel and cast iron, two or more pots with fitted strainer baskets, a rack suitable for supporting and lifting out large food items and an adjustable pressure regulator/hose combination for connecting the burner to a portable container of LP, put up for retail sale (described in statistical reporting number 7321.11.1060) | 2/20/2020 |
| 7616.99.5150 | Product Specific | Sewer hose supports constructed of flat strips of aluminum measuring 0.3 cm in thickness and riveted together to extend and retract accordion- style, each not exceeding 4.6 m when extended and weighing not more than 1.5 kg (described in statistical reporting number 7616.99.5150) | 2/20/2020 |
| 7616.99.5190 | Product Specific | Clamp edge components of aluminum, with injection molded clamp heads and levers, measuring not less than 60 cm but not more than 127 cm in length, with extensions to 254 cm in length (described in statistical reporting number 7616.99.5190) | 2/20/2020 |
| 8201.10.0000 | Product Specific | Shovels of aluminum, each of adjustable length measuring not less than 65 cm but not more than 85 cm, weighing less than 1 kg (described in statistical reporting number 8201.10.0000) | 2/20/2020 |
| 8207.90.7585 | Product Specific | Automotive polishing attachments specially designed for use with a hand-held drill, each attachment including a 9.5 mm steel drive shaft, internal gear assembly, transverse hand brace and rotating disk components (described in statistical reporting number 8207.90.7585) | 2/20/2020 |
| 8302.50.0000 | Product Specific | Articulating video monitor wall mounting assemblies of steel and aluminum, each weighing not less than 4 kg but not more than 7 kg (described in statistical reporting number 8302.50.0000) | 2/20/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 8421.23.0000 | Product Specific | Fuel filters for internal combustion engines, each consisting of a cylindrical case of plastics with an internal mesh filter measuring not more than 8 cm in length and not more than 5.5 cm in diameter (described in statistical reporting number 8421.23.0000) | 2/20/2020 |
| 8423.81.0040 | Product Specific | Digital electronic scales (other than counting scales or retail scales) having a maximum weighing capacity not exceeding 30 kg (described in statistical reporting number 8423.81.0040) | 2/20/2020 |
| 8425.49.0000 | Product Specific | Jacks of steel with zinc coating for supporting the tongues of trailers, each measuring not less than 60 cm in retracted condition and not less than 85 cm in extended condition, with a maximum width of 17 cm and a maximum load capacity of 455 kg (described in statistical reporting number 8425.49.0000) | 2/20/2020 |
| 8470.90.0190 | Product Specific | Lottery ticket vending terminals, each terminal including a touchscreen monitor, barcode scanner, Wi-fi/Ethernet/Bluetooth connectivities, six USB ports, two LAN ports and two serial ports (described in statistical reporting number 8470.90.0190) | 2/20/2020 |
| 8481.80.3010 | Product Specific | Hand-operated flat-back gate valves of cast iron, designed for use with irrigation canals, diversion ditches and the like (described in statistical reporting number 8481.80.3010) | 2/20/2020 |
| 8481.80.3010 | Product Specific | Hand-operated spigot-back gate valves of cast iron, for irrigation canals, diversion ditches and the like (described in statistical reporting number 8481.80.3010) | 2/20/2020 |
| 8501.40.4040 | Product Specific | AC motors, single phase, each of an output exceeding 74.6 W but not exceeding 335 W, measuring not more than 13 cm in diameter and not more than 13 cm in height and with a shaft measuring not more than 39 cm in length (described in statistical reporting number 8501.40.4040) | 2/20/2020 |
| 8504.40.8500 | Product Specific | 48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not less than 2,400 W but not more than 3,000 W, measuring not more than 45 mm by 105 mm by 330 mm, weighing not more than 2 kg (described in statistical reporting number 8504.40.8500) | 2/20/2020 |
| 8504.40.8500 | Product Specific | 48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not less than 4,000 W but not more than 4,600 W, measuring not more than 165 mm by 95 mm by 305 mm, weighing not more than 4 kg (described in statistical reporting number 8504.40.8500) | 2/20/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 8504.40.8500 | Product Specific | 48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not more than 1,200 W output, measuring not more than 50 mm by 90 mm by 260 mm, weighing not more than 1 kg (described in statistical reporting number 8504.40.8500) | 2/20/2020 |
| 8504.40.8500 | Product Specific | Power supplies for cable networks, that convert 120 V/60 Hz AC input to either 63 V AC or 87 V AC output, each measuring not more than 200 mm by 425 mm by 270 mm and weighing not more than 27.5 kg, containing printed circuit board assemblies, a transformer, and an oil filled capacitor (described in statistical reporting number 8504.40.8500) | 2/20/2020 |
| 8504.40.8500 | Product Specific | Power supplies for cable networks, that converts 120 V/60 Hz AC or 230 V/50 Hz AC input to 63 V AC or 87 V AC output, each measuring not more than 220 mm by 244 mm by 200 mm and weighing not more than 12 kg (described in statistical reporting number 8504.40.8500) | 2/20/2020 |
| 8504.40.8500 | Product Specific | Power supplies for fiber optic communications equipment, that convert 120- 240 V AC to 12 V DC, each measuring no more than 170 mm by 200 mm by 115 mm and having four LED indicators (described in statistical reporting number 8504.40.8500) | 2/20/2020 |
| 8504.40.8500 | Product Specific | Quad output power modules with cut-outs on one side for air flow, each containing a printed circuit board and 4 LED indicators, with external dimensions measuring not more than 361 mm by 125 mm by 75 mm, each weighing not more than 1 kg (described in statistical reporting number 8504.40.8500) | 2/20/2020 |
| 8504.40.9530 | Product Specific | Power supplies with a power output exceeding 150 W but not exceeding 180 W, 120 V, each measuring no more than 90 mm by 395 mm by 625 mm (described in statistical reporting number 8504.40.9530) | 2/20/2020 |
| 8504.40.9540 | Product Specific | Power supplies, each with 120 V AC input and output, measuring not more than 485 mm by 385 mm by 260 mm, weighing not more than 15 kg, to provide not more than 660 W of power in an uninterruptible manner in the event that a normal source of power fails (described in statistical reporting number 8504.40.9540) | 2/20/2020 |
| 8504.40.9540 | Product Specific | Power supplies, each with 120 V AC input and output, measuring not more than 530 mm by 355 mm by 205 mm, weighing not more than 20 kg, to provide not more than 2,000 W of power in an uninterruptible manner in the event that a normal source of power fails (described in statistical reporting number 8504.40.9540) | 2/20/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|-------------------|---|--------------|
| 8504.40.9570 | Product Specific | Electrical inverters (other than rectifiers, power supplies for automatic data processing equipment or for telecommunications apparatus), each measuring not more than 190 mm by 160 mm by 255 mm, weighing not more than 2.5 kg (described in statistical reporting number 8504.40.9570) | 2/20/2020 |
| 8531.10.9150 | Product Specific | Printed circuit board assemblies, for a voltage not exceeding 1,000 V, each measuring 3 mm by 169 mm by 137.5 mm, presented with four relays mounted down the center of the assembly and fitted with connectors (described in statistical reporting number 8537.10.9150) | 2/20/2020 |
| 8531.90.9001 | Product Specific | Tags for acousto-magnetic security systems (described in statistical reporting number 8531.90.9001) | 2/20/2020 |
| 8536.69.8000 | Product Specific | Cable lugs of copper, for a voltage not exceeding 1,000 V, each measuring at least 12 mm but not more than 155 mm in length (described in statistical reporting number 8536.69.8000) | 2/20/2020 |
| 8544.42.9090 | Product Specific | Electric conductors for a voltage not exceeding 300 V, insulated with polyvinyl chloride (PVC), each fitted with connectors, measuring not less than 200 mm and not more than 1.2 m in length (described in statistical reporting number 8544.42.9090) | 2/20/2020 |
| 9403.50.9042 | Product Specific | Toddler beds of wood, with bars to keep toddler from falling out (described in statistical reporting number 9403.50.9042) | 2/20/2020 |
| 9403.60.8081 | Product Specific | Fireplace mantels or surrounds of wood (described in statistical reporting number 9403.60.8081) | 2/20/2020 |
| 9403.90.8041 | Product Specific | Parts of office furniture, each consisting of a modular table base and support of base metals, with electric height adjustment mechanism, weighing not more than 40 kg (described in statistical reporting number 9403.90.8041) | 2/20/2020 |
| 3923.21.0030 | Entire Subheading | Sacks and bags of polymers ethylene, reclosable, with integral extruded closure, nesoi | 3/16/2020 |
| 3923.21.0095 | Entire Subheading | Sacks and bags (including cones) of polymers of ethylene, nesoi | 3/16/2020 |
| 3926.20.9050 | Entire Subheading | Articles of apparel & clothing accessories, of plastic, nesoi | 3/16/2020 |
| 4015.19.1010 | Entire Subheading | Seamless, disposable gloves, of vulcanized rubber other than hard rubber | 3/16/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|-------------------|---|--------------|
| 5603.12.0090 | Entire Subheading | Other non-woven fab, of man-made filaments, other than floor covering underlays & laminated fab, not impreg/coated/covered, weighing gt 25 and lt= 70 g/m2 | 3/16/2020 |
| 0304.61.0000 | Product Specific | Tilapias, frozen, each weighing not more than 115 g (described in statistical reporting number 0304.61.0000) | 3/26/2020 |
| 0508.00.0000 | Product Specific | Shells of oysters (Crassostrea angulate) (described in statistical reporting number 0508.00.0000) | 3/26/2020 |
| 1207.70.0075 | Product Specific | Honeydew melon seeds (described in statistical reporting number 1207.70.0075) | 3/26/2020 |
| 1209.91.6090 | Product Specific | Hot pepper seeds, of a kind used for sowing (described in statistical reporting number 1209.91.6090) | 3/26/2020 |
| 1209.91.8055 | Product Specific | F1 hybrid pumpkin seeds, oval in shape, with a white outer husk, measuring not more than 10 mm, of a kind used for sowing (described in statistical reporting number 1209.91.8055) | 3/26/2020 |
| 1209.91.8090 | Product Specific | Eggplant seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090) | 3/26/2020 |
| 1209.91.8090 | Product Specific | Endive seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090) | 3/26/2020 |
| 1209.91.8090 | Product Specific | Gourd seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090) | 3/26/2020 |
| 1209.91.8090 | Product Specific | Tomatillo seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090) | 3/26/2020 |
| 1605.10.2059 | Product Specific | Crabmeat of red swimming crabs (Portunus haanii) packed fresh and pasteurized or frozen in airtight containers (described in statistical reporting number 1605.10.2059) | 3/26/2020 |
| 2811.22.1000 | Product Specific | Synthetic silica gel, in amorphous granules, of a kind used as a catalyst support (described in statistical reporting number 2811.22.1000) | 3/26/2020 |
| 2907.15.1000 | Product Specific | α -Naphthol (CAS number 90-15-3) (described in statistical reporting number 2907.15.1000) | 3/26/2020 |
| 2912.19.3000 | Product Specific | Glyoxal (CAS No. 107-22-2) (described in statistical reporting number 2912.19.3000) | 3/26/2020 |
| 2914.50.3000 | Product Specific | (2-Hydroxy-4-methoxyphenyl)phenylmethanone (CAS No. 131-57-7) (Oxybenzone (INN)) and (2-Hydroxy-4-octoxyphenyl)phenylmethanone (CAS No. 1843-05-6) (Octabenzene (INN)) (described in statistical reporting number 2914.50.3000) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 2915.40.5050 | Product Specific | 2,2-Dichloroacetyl chloride (CAS No. 79-36-7) (described in statistical reporting number 2915.40.5050) | 3/26/2020 |
| 2917.12.5000 | Product Specific | Sodium adipate (1,4-butanedicarboxylic acid, disodium salt) (IUPAC name: disodium hexanedioate) (CAS No. 7486-38-6) (described in statistical reporting number 2917.12.5000) | 3/26/2020 |
| 2922.29.8190 | Product Specific | 4-Aminophenol (CAS No. 123-30-8) (described in statistical reporting number 2922.29.8190) | 3/26/2020 |
| 2924.21.1600 | Product Specific | Diuron (IUPAC name: 3-(3,4-dichlorophenyl)-1,1-dimethylurea) (CAS No. 330-541) (described in statistical reporting number 2924.21.1600) | 3/26/2020 |
| 2924.29.7100 | Product Specific | 2-((3-Fluoro-4-(methylcarbamoyl)-phenyl)amino)-2-methylpropanoic acid (CAS No. 1289942-66-0) (described in statistical reporting number 2924.29.7100) | 3/26/2020 |
| 2926.90.4300 | Product Specific | 3,4-Difluorobenzonitrile (CAS No. 64248-62-0) (described in statistical reporting number 2926.90.4300) | 3/26/2020 |
| 2926.90.4801 | Product Specific | Octocrylene (IUPAC name: 2-ethylhexyl 2-cyano-3,3-diphenylprop-2-enoate) (CAS No. 6197-30-4) (described in statistical reporting number 2926.90.4801) | 3/26/2020 |
| 2926.90.5050 | Product Specific | 3-Cyclopentylacrylonitrile (IUPAC name: (E)-3-Cyclopentylprop-2-enenitrile) (CAS No. 591769-05-0) (described in statistical reporting number 2926.90.5050) | 3/26/2020 |
| 2926.90.5050 | Product Specific | Acetonitrile (CAS No. 75-05-8) (described in statistical reporting number 2926.90.5050) | 3/26/2020 |
| 2929.90.5090 | Product Specific | N-(n-Butyl)thiophosphoric triamide (IUPAC name: N-Diaminophosphinothiylbutan1-amine) (CAS No. 94317-64-3) (described in statistical reporting number 2929.90.5090) | 3/26/2020 |
| 2931.90.3000 | Product Specific | (4-Chloro-2-fluoro-3-methoxyphenyl) boronic acid (CAS No. 944129-07-1) (described in statistical reporting number 2931.90.3000) | 3/26/2020 |
| 2931.90.7000 | Product Specific | 2-Phosphonobutane-1,2,4-tricarboxylic acid and its salts (CAS #40372-665) (described in statistical reporting number 2931.90.7000) | 3/26/2020 |
| 2934.10.9000 | Product Specific | Clothianidin technical (CAS No. 210880-92-5) (IUPAC name: E-1-[(2-Chloro-1,3thiazol-5-yl)methyl]-3-methyl-2-nitroguanidine) (described in statistical reporting number 2934.10.9000) | 3/26/2020 |
| 2934.20.1500 | Product Specific | 2-Mercaptobenzothiazole (CAS No. 149-30-4) (described in statistical reporting number 2934.20.1500) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 3810.90.2000 | Product Specific | Flux powder consisting wholly of inorganic substances, including but not limited to silicon dioxide, titanium oxide, manganese oxide, aluminum oxide, and calcium fluoride, for submerged arc welding (described in statistical reporting number 3810.90.2000) | 3/26/2020 |
| 3913.90.2090 | Product Specific | Chitosan (CAS No. 9012-76-4) (described in statistical reporting number 3913.90.2090) | 3/26/2020 |
| 3923.10.9000 | Product Specific | Boxes, cases, crates or similar articles of plastics certified under UN (United Nations) standard 4H2 as suitable for the conveyance of lithium ion batteries and equipment powered by lithium ion batteries (described in statistical reporting number 3923.10.9000) | 3/26/2020 |
| 3925.90.0000 | Product Specific | Parts of fences fabricated from profile shapes of heading 3916 (described in statistical reporting number 3925.90.0000) | 3/26/2020 |
| 3926.90.4590 | Product Specific | Gaskets, washers and other seals (other than O-rings) of silicone plastic, each weighing at least 5 g but not more than 400 g (described in statistical reporting number 3926.90.4590) | 3/26/2020 |
| 4009.11.0000 | Product Specific | Hoses of vulcanized rubber other than hard rubber, not reinforced or otherwise combined with other materials, without fittings, each weighing at least 10 g but not more than 1,000 g and measuring at least 2 cm but not more than 500 cm in length (described in statistical reporting number 4009.11.0000) | 3/26/2020 |
| 4009.31.0000 | Product Specific | Hoses of vulcanized rubber other than hard rubber, reinforced or otherwise combined only with textile materials, without fittings (described in statistical reporting number 4009.31.0000) | 3/26/2020 |
| 4009.41.0000 | Product Specific | Hoses of vulcanized rubber other than hard rubber, reinforced or otherwise combined with materials other than metals or textiles, without fittings (described in statistical reporting number 4009.41.0000) | 3/26/2020 |
| 4011.90.1010 | Product Specific | New tubeless pneumatic tires of rubber having a "herring-bone" tread and a tire ply rating of 6R, measuring not more than 61 cm in outside diameter and at least 20.3 cm but not more than 25.4 cm in width, for mounting on a rim measuring 35.6 cm in diameter (described in statistical reporting number 4011.90.1010) | 3/26/2020 |
| 4011.90.2010 | Product Specific | New radial pneumatic tires of rubber, each with an 8 ply rating, measuring not more than 67 cm in outside diameter and at least 22 cm but not over 28 cm in width, suitable for mounting on a rim measuring 30.5 cm in diameter (described in statistical reporting number 4011.90.2010) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 4011.90.2010 | Product Specific | New radial pneumatic tires of rubber, measuring 66 cm or more but not exceeding 82 cm in diameter, and 22 cm or more but not exceeding 39 cm in width, with steel internal carcass and sidewalls reinforced with three belts (described in statistical reporting number 4011.90.2010) | 3/26/2020 |
| 4011.90.8010 | Product Specific | New bias-ply pneumatic tires of rubber, with a 6 ply rating, each measuring at least 61 cm but not more than 62 cm in diameter, and at least 20 cm but not more than 31 cm in width, suitable for mounting on a rim measuring 30.5 cm in diameter (described in statistical reporting number 4011.90.8010) | 3/26/2020 |
| 4016.91.0000 | Product Specific | Compression molded floor mats for golf carts, of vulcanized rubber other than hard rubber or cellular rubber, each measuring not more than 1,038 mm by 605 mm (described in statistical reporting number 4016.91.0000) | 3/26/2020 |
| 4016.99.6050 | Product Specific | Grommets, vibration dampers, and similar protective separators, of molded ethylenepropylene-non-conjugated diene monomer rubber (EPDM), each weighing not more than 2.27 kg, of a kind used in motorcycles or personal watercraft (PWC) (described in statistical reporting number 4016.99.6050) | 3/26/2020 |
| 4202.92.2000 | Product Specific | Backpacks and duffel bags with an outer surface of a blend of hemp and organic cotton, each measuring not less than 38 cm by 30 cm by 15 cm and not more than 36 cm by 72 cm by 34 cm (described in statistical reporting number 4202.92.2000) | 3/26/2020 |
| 4202.92.3120 | Product Specific | Backpacks with outer surface of textile materials of man-made fibers, each measuring at least 35 cm but not more than 75 cm in height, at least 19 cm but not more than 34 cm in width, and at least 5 cm but not more than 26 cm in depth (described in statistical reporting number 4202.92.3120) | 3/26/2020 |
| 4202.92.3130 | Product Specific | Fishing tackle bags of man-made fibers, each measuring at least 5 cm but not more than 17 cm in width, at least 23 cm but not more than 27 cm in height and at least 37 cm but not more than 43 cm in depth, with a shoulder strap and carrying handles (described in statistical reporting number 4202.92.3131) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 4202.92.3131 | Product Specific | Surfboard covers, each with an outer surface of polyester, weighing at least 0.85 kg but not more than 6 kg, measuring at least 150 cm but not more than 307 cm in height and at least 55 cm but not more than 66 cm in width (described in statistical reporting number 4202.92.3131) | 3/26/2020 |
| 4202.92.3131 | Product Specific | Tote bags with outer surface of man-made fibers, with handles, with printing on front and back, each bag measuring more than 20 cm but not more than 36 cm in width and more than 22 cm but not more than 39 cm in height, with a gusset measuring not more than 16 cm (described in statistical reporting number 4202.92.3131) | 3/26/2020 |
| 4202.92.9100 | Product Specific | Bags with outer surface of textile materials of man-made fibers, each with a base of plastics and a coil zipper, weighing 0.22 kg or more but not over 4.6 kg, shaped to fit powersports vehicles (including but not limited to off-road vehicles, all-terrain vehicles, snowmobiles and motorcycles) (described in statistical reporting number 4202.92.9100) | 3/26/2020 |
| 4202.92.9100 | Product Specific | Pouches and tool holsters of woven man-made fibers, each measuring at least 13 cm but not more than 19 cm in height, at least 4 cm but not more than 11 cm in width and at least 3 cm but not more than 5 cm in depth, valued not over \$16 each, designed to fit over the wearer's belt or attach to belt loops to provide hands-free carrying of mobile phones, tools, flashlights and articles of similar size (described in statistical reporting number 4202.92.9100) | 3/26/2020 |
| 4202.99.9000 | Product Specific | Gun cases (boots) of plastics, each with interior padding, dust-proof and waterresistant shell and steel brackets for mounting (described in statistical reporting number 4202.99.9000) | 3/26/2020 |
| 4203.10.4095 | Product Specific | Women's, girls', and infants' pants, skirts and dresses, of polyurethane- coated leather of swine or of polyurethane-coated composition leather of swine (described in statistical reporting number 4203.10.4095) | 3/26/2020 |
| 4819.10.0040 | Product Specific | Printed cartons, boxes or cases of corrugated paper or paperboard, other than sanitary food or beverage containers (described in statistical reporting number 4819.10.0040) | 3/26/2020 |
| 4820.10.2060 | Product Specific | Notebooks of paper or paperboard, each incorporating a plastic toy building block on the cover, measuring at least 13 cm but not more than 16 cm on the short side, at least 15 cm but not more than 22 cm on the long side and at least 1 cm but not more than 3 cm in thickness, with at least 192 but no more than 352 ruled or blank pages (described in statistical reporting number 4820.10.2060) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 4823.70.0020 | Product Specific | Plates, bowls or cups of molded or pressed bamboo pulp, each weighing at least 3 g but not more than 92 g (described in statistical reporting number 4823.70.0020) | 3/26/2020 |
| 4823.70.0040 | Product Specific | Clamshell containers, pizza pans, lids, compartmentalized and other trays of molded or pressed bamboo pulp, each weighing at least 3 g but not more than 95 g (described in statistical reporting number 4823.70.0040) | 3/26/2020 |
| 5108.10.8000 | Product Specific | Yarn of cashmere or camel hair, carded but not combed, not put up for retail sale (described in statistical reporting number 5108.10.8000) | 3/26/2020 |
| 5501.20.0000 | Product Specific | Polyester filament tow, weighing at least 225 ktex but not more than 275 ktex (described in statistical reporting number 5501.20.0000) | 3/26/2020 |
| 5501.40.0000 | Product Specific | Polypropylene fiber tow weighing at least 225 ktex but not more than 275 ktex (described in statistical reporting number 5501.40.0000) | 3/26/2020 |
| 5903.20.2000 | Product Specific | Textile fabrics of woven polyester or of a blend of cotton and polyester, coated on one side with expanded polyurethane which comprises more than 70 percent of the total weight of the product, the entire thickness of the fabric measuring at least 0.8 mm but not more than 1.22 mm in thickness and weighing at least 350 g/m ² or more but not more than 425 g/m ² (described in statistical reporting number 5903.20.2000) | 3/26/2020 |
| 6006.32.0080 | Product Specific | Circular single knitted fabric, containing by weight 96 percent polyester and 4 percent spandex, dyed (described in statistical reporting number 6006.32.0080) | 3/26/2020 |
| 6802.99.0060 | Product Specific | Sandstone with a flamed finish on one side and a length of 200 mm or more but not over 3,100 mm, a width of 100 mm or more but not over 1,380 mm and a thickness of 30 mm or more but not over 180 mm (described in statistical reporting number 6802.99.0060) | 3/26/2020 |
| 6810.99.0080 | Product Specific | Figurines and statuettes of agglomerated stone, each measuring at least 100 mm but not more than 310 mm in height and weighing at least 0.1 kg but not more than 2.1 kg (described in statistical reporting number 6810.99.0080) | 3/26/2020 |
| 6815.10.0100 | Product Specific | Synthetic graphite, in the form of rounds measuring at least 5 cm but not more than 153 cm in diameter and at least 25 cm but not more than 204 cm in length, or rectangles measuring at least 40 cm but not more than 61 cm in width, at least 40 cm but not more than 94 cm in height, and 152 cm or more but not more than 280 cm in length (described in statistical reporting number 6815.10.0100) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|-------------------|---|--------------|
| 6909.12.0000 | Product Specific | Articles of ceramics, other than porcelain or china, having a hardness equivalent of 9 or more on the Mohs scale, machined to shape, weighing not more than 2.4 kg and measuring not more than 45.5 cm by 3.1 cm by 8.9 cm (described in statistical reporting number 6909.12.0000) | 3/26/2020 |
| 6909.19.5095 | Product Specific | Inert ceramic rings and spheres, of a kind used for bed grading in mixed- layered filtering and purification columns (described in statistical reporting number 6909.19.5095) | 3/26/2020 |
| 7002.10.2000 | Entire Subheading | Glass in balls with diameter over 6mm, unworked | 3/26/2020 |
| 7007.19.0000 | Product Specific | Screen protectors of tempered safety glass, with adhesive on one side, in rectangular sheets having rounded corners, each measuring at least 55 mm by 120 mm but no more than 212 mm by 278 mm and at least 0.51 mm but no more than 0.55 mm in thickness (described in statistical reporting number 7007.19.0000) | 3/26/2020 |
| 7007.19.0000 | Product Specific | Sheets of tempered safety glass, coated with silicone oxide, having a surface area of less than 2.5 m2, designed to be placed over solar cell panels for protection from external damage (described in statistical reporting number 7007.19.0000) | 3/26/2020 |
| 7007.21.1010 | Product Specific | Windshields of laminated safety glass, of a size and shape for vehicles, each weighing at least 10.9 kg but not over 15.4 kg (described in statistical reporting number 7007.21.1010) | 3/26/2020 |
| 7009.10.0000 | Product Specific | Rear-view mirrors for vehicles, composed of stainless steel, aluminum, glass filled nylon, polyethylene, and acrylonitrile-butadiene-styrene, each weighing at least 500 g but not more than 1 kg, with mirrors measuring at least 180 mm but not more than 400 mm in length (described in statistical reporting number 7009.10.0000) | 3/26/2020 |
| 7009.10.0000 | Product Specific | Rear-view mirrors for vehicles, each consisting of a multi-curvature convex glass mirror, a steel case and a heating element (described in statistical reporting number 7009.10.0000) | 3/26/2020 |
| 7009.10.0000 | Product Specific | Replacement kits for rear-view mirrors for vehicles, each consisting of a multicurvature convex mirror, a gasket and a heating element (described in statistical reporting number 7009.10.0000) | 3/26/2020 |
| 7308.30.1000 | Product Specific | Windows of stainless steel incorporating tempered glass, each fitted with a rubber gasket that provides a water-tight seal when closed, designed for installation in ships and boats of chapter 89 (described in statistical reporting number 7308.30.1000) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|---------------------|
| 7309.00.0030 | Product Specific | Steel tanks, each of a capacity of at least 477 liters but not over 23,848 liters and weighing at least 100 kg but not more than 2,250 kg, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment (described in statistical reporting number 7309.00.0030) | 3/26/2020 |
| 7310.10.0010 | Product Specific | Square-shaped barrels of stainless steel, each with slatted sides and a maximum capacity of 228 liters (described in statistical reporting number 7310.10.0010) | 3/26/2020 |
| 7315.20.1000 | Product Specific | Skid chains of steel, with links measuring not over 8 mm in diameter, to fit off-road vehicle tires measuring 63 cm or more but not over 67 cm in diameter (described in statistical reporting number 7315.20.1000) | 3/26/2020 |
| 7321.90.1000 | Product Specific | Steel cooking grates comprising parts of stoves and ranges, each weighing not less than 1 kg, measuring not less than 40 cm in length, not less than 48 cm in width, and not less than 5 cm in height (described in statistical reporting number 7321.90.1000) | 3/26/2020 |
| 7323.99.9080 | Product Specific | Bird feeders, predominantly of iron or steel, with glass elements, each feeder measuring at least 25 cm but not more than 36 cm in height, and weighing at least 0.6 kg but not more than 1.4 kg (described in statistical reporting number 7323.99.9080) | 3/26/2020 |
| 7324.90.0000 | Product Specific | Parts of showers, comprising shower wand adjustable slide bars, of stainless steel, with or without finishes of other metals, each weighing 0.44 kg or less, measuring at least 48.3 cm but not more than 91.5 cm in length and at least 1.9 cm but not more than 2.6 cm in diameter (described in statistical reporting number 7324.90.0000) | 3/26/2020 |
| 7324.90.0000 | Product Specific | Shower arms of stainless steel, with or without finishes of other metals, threaded at both ends, each weighing not less than 0.08 kg but not more than 0.35 kg, measuring at least 15 cm but not more than 64 cm in length and not more than 2 cm in diameter (described in statistical reporting number 7324.90.0000) | 3/26/2020 |
| 7326.90.8688 | Product Specific | Carabiners of stainless steel, not suitable for climbing applications (described in statistical reporting number 7326.90.8688) | 3/26/2020 |
| 7326.90.8688 | Product Specific | Housings of steel designed for oil or natural gas wellheads, each with threaded or welded bottom and threaded top, each weighing at least 284 kg but not more than 1,200 kg, measuring at least 52 cm but not more than 105 cm in length, at least 42 cm but not more than 60 cm in outer diameter, with a bore diameter of not less than 20 cm (described in statistical reporting number 7326.90.8688) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 7326.90.8688 | Product Specific | Tubing heads of steel for oil or natural gas wellheads, each measuring at least 39 cm but not more than 107 cm in length, at least 57 cm but not more than 78 cm in outer diameter, with a bore diameter of not less than 13 cm (described in statistical reporting number 7326.90.8688) | 3/26/2020 |
| 7419.99.5010 | Product Specific | Escutcheons of brass, with or without other metal finishes, each weighing not more than 0.5 kg, measuring not more than 23 cm by 23 cm by 3 cm, designed as trim around faucets or shower fixtures (described in statistical reporting number 7419.99.5010) | 3/26/2020 |
| 7419.99.5010 | Product Specific | Faucet parts, of brass, designed for holding the aerator, each not over 4 cm in height (described in statistical reporting number 7419.99.5010) | 3/26/2020 |
| 7419.99.5010 | Product Specific | Shower arms of brass, each for connecting the showerhead to the water supply (described in statistical reporting number 7419.99.5010) | 3/26/2020 |
| 7616.99.5190 | Product Specific | Carabiners of aluminum, not suitable for climbing applications (described in statistical reporting number 7616.99.5190) | 3/26/2020 |
| 7907.00.6000 | Product Specific | Key rings of zinc, with leather adornment (described in statistical reporting number 7907.00.6000) | 3/26/2020 |
| 8207.50.2070 | Product Specific | Kits of auger bits for woodworking of high carbon steel (with cutting part containing by weight over 0.2 percent of chromium, molybdenum, or tungsten or over 0.1 percent of vanadium), each bit measuring not less than 0.95 cm but not more than 3.81 cm in diameter and not less than 15.24 cm but not more than 45.72 cm in length (described in statistical reporting number 8207.50.2070) | 3/26/2020 |
| 8207.50.6000 | Product Specific | Kits of spade bit blades of high carbon steel (with cutting part not containing by weight over 0.2 percent of chromium, molybdenum, or tungsten or over 0.1 percent of vanadium), each bit measuring at least 0.635 cm but not more than 3.81 cm in diameter and at least 15.24 cm but not more than 45.72 cm in length (described in statistical reporting number 8207.50.6000) | 3/26/2020 |
| 8302.20.0000 | Product Specific | Castors with mountings of steel with wheels of rubber or plastic, each having a wheel diameter (including tires) of more than 60 mm but less than 210 mm (described in statistical reporting number 8302.20.0000) | 3/26/2020 |
| 8302.30.3060 | Product Specific | Mountings and fittings suitable for motor vehicles of iron or steel, of aluminum or of zinc, other than pneumatic cylinders (described in statistical reporting number 8302.30.3060) | 3/26/2020 |
| 8302.49.6055 | Product Specific | Cleats and chocks of stainless steel for boats and ships (described in statistical reporting number 8302.49.6055) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8302.49.6085 | Product Specific | Screen door cross bars of aluminum, each adjustable, measuring at least 53 cm but not more than 74 cm in length, weighing not more than 0.6 kg, with polypropylene end caps (described in statistical reporting number 8302.49.6085) | 3/26/2020 |
| 8409.91.5085 | Product Specific | Pistons of cast aluminum, of a kind used in spark-ignition internal combustion piston engines for vehicles of heading 8703, each measuring 73 mm in diameter and 45 mm in height (described in statistical reporting number 8409.91.5085) | 3/26/2020 |
| 8409.91.9990 | Product Specific | Cylinder heads of aluminum for motorcycle engines, each weighing at least 3.6 kg but not more than 6.4 kg (described in statistical reporting number 8409.91.9990) | 3/26/2020 |
| 8413.30.9090 | Product Specific | Cooling medium pumps for internal combustion piston engines of the motor vehicles of headings 8703 or 8704 (described in statistical reporting number 8413.30.9090) | 3/26/2020 |
| 8414.59.6540 | Product Specific | Ventilation fans for motor vehicles, consisting of a 12 V DC non- reversible multiple speed electric motor drawing 5 A, with axial fan blade, electric keypad and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540) | 3/26/2020 |
| 8414.59.6540 | Product Specific | Ventilation fans for motor vehicles, consisting of a 12 V DC non- reversible multiple speed electric motor drawing 5 A, with axial fan blade, keypad and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540) | 3/26/2020 |
| 8414.59.6540 | Product Specific | Ventilation fans for motor vehicles, consisting of a 12 V DC non- reversible multiple speed electric motor drawing 5 A, with axial fan blade, keypad or remote control and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540) | 3/26/2020 |
| 8414.59.6540 | Product Specific | Ventilation fans for motor vehicles, consisting of a 12 V DC non- reversible multiple speed electric motor drawing 5 A, with axial fan blade, network control system and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540) | 3/26/2020 |

Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8414.59.6540 | Product Specific | Ventilation fans for motor vehicles, consisting of a 12 V DC reversible multiple speed electric motor drawing 5 A, with axial fan blade, electric keypad and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540) | 3/26/2020 |
| 8414.80.1680 | Product Specific | Stationary air compressors (not reciprocating, not rotary), each powered by 12 V DC motor, with maximum output pressure of 1.04 MPa and maximum output volume of 57 liters/min, weighing not more than 6 kg, with braided output leader hose and oneway check valve attached to the cylinder head (described in statistical reporting number 8414.80.1680) | 3/26/2020 |
| 8425.42.0000 | Product Specific | Hydraulic jacks of a kind for raising vehicles, with a lifting capacity of not more than 550 kg (described in statistical reporting number 8425.42.0000) | 3/26/2020 |
| 8425.42.0000 | Product Specific | Hydraulic lifts of steel weighing not more than 30 kg, comprising a base, two lift arms and a hydraulic bottle jack, with a weight limit of not more than 250 kg (described in statistical reporting number 8425.42.0000) | 3/26/2020 |
| 8425.49.0000 | Product Specific | Screw jacks and scissor jacks, each comprising a base, two lift arms and adjustable wheel pads, weighing at least 22 kg but not more than 42 kg, with a weight limit of not more than 342 kg (described in statistical reporting number 8425.49.0000) | 3/26/2020 |
| 8465.91.0064 | Product Specific | Bandsaws for working wood, bench top, each valued under \$1,000, with 115 V motor, measuring not more than 88 cm in height, not more than 54 cm in width and not more than 42 cm in depth, weighing not more than 36 kg with a cutting capacity not exceeding 36 cm in width (described in statistical reporting number 8465.91.0064) | 3/26/2020 |
| 8465.91.0064 | Product Specific | Bandsaws for working wood, floor standing, each valued under \$1,000, with 115 V motor, measuring not more than 190 cm in height, at least 63 cm but not more than 88 cm in width and at least 63 cm but not more than 66 cm in depth, weighing at least 99 kg but not more than 130 kg with a cutting capacity not exceeding 36 cm in width (described in statistical reporting number 8465.91.0064) | 3/26/2020 |
| 8465.91.0064 | Product Specific | Bandsaws for working wood, valued under \$1,000 each, floor standing, with 115 V motor, measuring not over 190 cm in height, at least 63 cm but not more than 88 cm in width and at least 63 cm but not more than 66 cm in depth, weighing at least 99 kg but not more than 130 kg with a cutting capacity not exceeding 36 cm in width (described in statistical reporting number 8465.91.0064) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 8479.89.9499 | Product Specific | Straps for securing articles, each consisting of a polyester webbing strap of a width not exceeding 26 mm with steel hooks at the ends and a ratchet mechanism for tightening the strap, in lengths not over 2.5 m (described in statistical reporting number 8479.89.9499) | 3/26/2020 |
| 8481.80.3055 | Product Specific | Handwheel-operated gate valves of forged steel, each measuring at least 37 cm but not more than 102 cm in width (at the circular connector flanges) and at least 55 cm but not more than 288 cm in height (from the bottom of the valve to the top of the handwheel), having a bore measuring at least 5 cm but not more than 18 cm in diameter, weighing at least 79 kg but not more than 3,015 kg (described in statistical reporting number 8481.80.3055) | 3/26/2020 |
| 8483.10.1030 | Product Specific | Camshafts designed for use solely or principally with spark-ignition internal combustion piston engines for off-road vehicles and snowmobiles (described in statistical reporting number 8483.10.1030) | 3/26/2020 |
| 8483.10.3050 | Product Specific | Crankshafts designed for use with diesel engines having a displacement of not more than 12 liters (described in statistical reporting number 8483.10.3050) | 3/26/2020 |
| 8483.90.5090 | Product Specific | Toothed wheels and sprockets other than chain sprockets for motorcycles, off-road vehicles and snowmobiles constituting an integral component of an engine or motor (described in statistical reporting number 8483.90.5090) | 3/26/2020 |
| 8501.40.2040 | Product Specific | Single phase AC electric motors (other than gear motors), of an output of 56 W or more but not exceeding 69 W, each measuring no more than 9 cm in length and no more than 11.5 cm in diameter, weighing no more than 2 kg, in a housing of base metals, with a switch (described in statistical reporting number 8501.40.2040) | 3/26/2020 |
| 8501.40.4040 | Product Specific | Single-phase AC electric motors incorporating permanent split capacitors, each of an output range of 367 W or more but not exceeding 565 W, operating at not less than 115 V of alternating current (VAC) but not more than 230 VAC, capable of operating while submerged in water, each weighing at least 7 kg but not more than 11 kg, measuring not more than 10 cm in diameter and at least 22 cm but not exceeding 34 cm in length (described in statistical reporting number 8501.40.4040) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8501.40.6040 | Product Specific | Single-phase AC electric motors, other than gear motors, incorporating permanent split capacitors, each of an output range of 746 W or more but not exceeding 1.13 kW, operating at not less than 115 V of alternating current (VAC) but not more than 250 VAC, capable of operating while submerged in water, each weighing at least 9 kg but not more than 12.5 kg, measuring not more than 10 cm in diameter and at least 25 cm but not exceeding 36 cm in length (described in statistical reporting number 8501.40.6040) | 3/26/2020 |
| 8504.40.9550 | Product Specific | Battery chargers designed to charge the batteries in electrically powered golf carts and similar utility vehicles for a voltage not exceeding 48 V, measuring no more than 20 cm in width, 30 cm in length, and 15 cm in height (described in statistical reporting number 8504.40.9550) | 3/26/2020 |
| 8504.40.9550 | Product Specific | Static converters, each with input voltage range of 10 V or more but not exceeding 26 V and a power output range of at least 5 A but not more than 240 A, weighing not more than 23 kg (described in statistical reporting number 8504.40.9550) | 3/26/2020 |
| 8504.50.8000 | Product Specific | Inductors, each with inductance of 22 microhenrys (μH), a tolerance of no greater than 20 percent, with a DC resistance of 198 milliohms ($\text{m}\Omega$) and a DC current of 1.9 A (described in statistical reporting number 8504.50.8000) | 3/26/2020 |
| 8504.50.8000 | Product Specific | Inductors, each with inductance of 220 microhenrys (μH), a tolerance of no greater than 20 percent, with a DC resistance of 550 milliohms ($\text{m}\Omega$) and a DC current of 510 milliamps (mA) (described in statistical reporting number 8504.50.8000) | 3/26/2020 |
| 8504.50.8000 | Product Specific | Inductors, each with inductance of 470 microhenrys (μH), a tolerance of no greater than 20 percent, with a DC resistance of 700 milliohms ($\text{m}\Omega$) and a DC current of 540 milliamps (mA) (described in statistical reporting number 8504.50.8000) | 3/26/2020 |
| 8507.10.0030 | Product Specific | Lead-acid storage batteries, 12 V, of a kind used in starting piston engines, each measuring not more than 167 cm in height, at least 91 cm but not more than 92 cm in width and weighing at least 4.8 kg but not more than 5.3 kg (described in statistical reporting number 8507.10.0030) | 3/26/2020 |
| 8511.30.0080 | Product Specific | Ignition coils for spark-ignition or compression-ignition engines of a kind designed to be mounted in powersports vehicles, including off-road vehicles, all-terrain vehicles, snowmobiles and motorcycles (described in statistical reporting number 8511.30.0080) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 8512.20.2040 | Product Specific | Lighting equipment designed for illuminating the interior of the vehicles of subheading 8701.20 or heading 8702, 8703, 8704, 8705 or 8711 incorporating LED lamps, each measuring not more than 128 mm by 75 mm by 36 mm (described in statistical reporting number 8512.20.2040) | 3/26/2020 |
| 8525.80.3010 | Product Specific | Color television cameras of a kind used with vehicle displays (described in statistical reporting number 8525.80.3010) | 3/26/2020 |
| 8527.29.4000 | Product Specific | Radiobroadcast receiver kits, each comprising a radiobroadcast receiver not capable of operating without an external source of power, the foregoing of a kind used in motor vehicles, not combined with sound recording or reproducing apparatus, incorporating an FM only or AM/FM only tuner, two speakers measuring not more than 135 mm in diameter, a 45 W 4-channel amplifier and an external antenna (described in statistical reporting number 8527.29.4000) | 3/26/2020 |
| 8531.20.0020 | Product Specific | Indicator panels incorporating segmented liquid crystal devices (LCDs) suitable for use in motor vehicles and designed to display a limited number of characters or icons, each panel measuring not more than 99 mm in width and not more than 61 mm in height (described in statistical reporting number 8531.20.0020) | 3/26/2020 |
| 8531.20.0040 | Product Specific | Indicator panels incorporating LEDs, designed for use in medical infusion equipment (described in statistical reporting number 8531.20.0040) | 3/26/2020 |
| 8534.00.0020 | Product Specific | Printed circuit boards, with a base of glass reinforced epoxy laminate material that is compliant with NEMA grade FR-4 fire resistance, not flexible, with 10 layers, designed for use in a flow meter, and measuring not more than 6.35 cm by 6.35 cm by 0.1575 cm (described in statistical reporting number 8534.00.0020) | 3/26/2020 |
| 8534.00.0095 | Product Specific | Printed circuit board, 2 layers, LED left-handed tail light, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder with a glass transition temperature of 150 degrees C, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095) | 3/26/2020 |
| 8534.00.0095 | Product Specific | Printed circuit board, 2 layers, LED left-handed tail stop light, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095) | 3/26/2020 |
| 8534.00.0095 | Product Specific | Printed circuit board, 2 layers, LED right-handed tail stop light, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8534.00.0095 | Product Specific | Printed circuit board, 2 layers, overhead council assembly of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper, with lead free HASL finish (described in statistical reporting number 8534.00.0095) | 3/26/2020 |
| 8534.00.0095 | Product Specific | Printed circuit board, 2 layers, overhead council unit, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with lead free HASL finish (described in statistical reporting number 8534.00.0095) | 3/26/2020 |
| 8534.00.0095 | Product Specific | Printed circuit board, 2 layers, with high- or low-side driver pulse width modulation, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder with a glass transition temperature of 150 degrees C with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095) | 3/26/2020 |
| 8534.00.0095 | Product Specific | Printed circuit board, 4 layers, rear view mirror utilized, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095) | 3/26/2020 |
| 8534.00.0095 | Product Specific | Printed circuit boards, formed as 2 layers, DS video mirror of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder with a glass transition temperature of 150 degrees C with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095) | 3/26/2020 |
| 8544.42.9090 | Product Specific | Electric conductors, for a voltage not exceeding 1,000 V, with stranded 18-gauge copper wire and SPT-2 outer insulation, with either a 2-prong polarized plug or a 3prong grounded plug on one end, such plugs with an integrated non-replaceable fuse, such conductors measuring at least 210 cm but not more than 250 cm in length (described in statistical reporting number 8544.42.9090) | 3/26/2020 |
| 8708.10.3050 | Product Specific | Bumpers of steel or aluminum, other than stampings, for off-road vehicles of headings 8701 to 8705 (described in statistical reporting number 8708.10.3050) | 3/26/2020 |
| 8708.29.5060 | Product Specific | Vent insulators to fit a standard vent opening of 35.56 cm by 35.56 cm on a recreational vehicle, each composed of foam encased in polyester fleece fabric, whether or not also featuring reflective foil (described in statistical reporting number 8708.29.5060) | 3/26/2020 |
| 8708.70.4560 | Product Specific | Road wheels of steel for vehicles of heading 8703, each measuring at least 32 cm but not more than 37 cm in diameter, at least 11 cm but not more than 21 cm in width and weighing at least 5.2 kg but not over 6.7 kg (described in statistical reporting number 8708.70.4560) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|---------------------|
| 8708.70.4560 | Product Specific | Road wheels of steel for vehicles of heading 8703, each measuring at least 37 cm but not more than 46 cm in diameter and at least 19 cm but not over 26 cm in width (described in statistical reporting number 8708.70.4560) | 3/26/2020 |
| 8708.70.6060 | Product Specific | Wheel spacers of aluminum for the motor vehicles of heading 8703, measuring at least 25 mm but not more than 45 mm in thickness (described in statistical reporting number 8708.70.6060) | 3/26/2020 |
| 8708.80.6590 | Product Specific | Parts of suspension systems of off-road vehicles of headings 8701 through 8705 and snowmobiles of heading 8703 (described in statistical reporting number 8708.80.6590) | 3/26/2020 |
| 8708.80.6590 | Product Specific | Torque rods, also known as torque arms, radius rods or radius arms (described in statistical reporting number 8708.80.6590) | 3/26/2020 |
| 8708.91.5000 | Product Specific | Radiators of aluminum, each measuring at least 335 mm but not more than 630 mm in length, at least 167.5 mm but not more than 355 mm in width, and at least 37.5 mm but not more than 60 mm in height (described in statistical reporting number 8708.91.5000) | 3/26/2020 |
| 8708.92.5000 | Product Specific | Mufflers and exhaust pipes for all-terrain vehicles (ATVs) and snowmobiles of heading 8703 (described in statistical reporting number 8708.92.5000) | 3/26/2020 |
| 8708.94.5000 | Product Specific | Steering boxes and steering columns of steel for all-terrain vehicles (ATVs) of heading 8703 and other off-road vehicles (described in statistical reporting number 8708.94.5000) | 3/26/2020 |
| 8708.94.7000 | Product Specific | Parts of the motor vehicles of headings 8701, 8702, 8704 and 8705, consisting of housings of cast iron for steering gears, each weighing not more than 20 kg, measuring at least 11 cm but not more than 29 cm in length, at least 9 cm but not more than 19 cm in width, and at least 14 cm but not more than 24 cm in height (described in statistical reporting number 8708.94.7000) | 3/26/2020 |
| 8708.94.7000 | Product Specific | Steering cylinder heads of cast iron for motor vehicles of chapter 87, each weighing at least 1 kg but not more than 3 kg (described in statistical reporting number 8708.94.7000) | 3/26/2020 |
| 8708.94.7550 | Product Specific | Housing covers (with or without bearings) of carbon steel for steering gears of the motor vehicles of headings 8701 to 8705 (except for tractors other than road tractors) (described in statistical reporting number 8708.94.7550) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|---------------------|
| 8708.94.7550 | Product Specific | Pitman arm retainers of carbon steel designed for steering gears for the vehicles of heading 8701, 8702, 8704, or 8705, other than steering gears for tractors for agricultural use but including those for road tractors (described in statistical reporting number 8708.94.7550) | 3/26/2020 |
| 8708.99.6890 | Product Specific | Castings of aluminum for hub lock assemblies of motor vehicles of heading 8703 (described in statistical reporting number 8708.99.6890) | 3/26/2020 |
| 8708.99.6890 | Product Specific | Shift lever weldments, sprockets, shafts, bearing carriers, and rod shifters, all the foregoing being parts of power trains for the motor vehicles of headings 8701 to 8705 (described in statistical reporting number 8708.99.6890) | 3/26/2020 |
| 8708.99.8180 | Product Specific | Covers for automobile seats or passenger compartments, of textile fabric, with or without fastening hardware, presented separately or in sets put up for retail sale (described in statistical reporting number 8708.99.8180) | 3/26/2020 |
| 8708.99.8180 | Product Specific | Intercooler pipes of cast aluminum, each weighing at least 0.37 kg but not more than 0.643 kg (described in statistical reporting number 8708.99.8180) | 3/26/2020 |
| 8708.99.8180 | Product Specific | Racks designed to fit into receiver hitches of vehicles of headings 8701 to 8705, for transporting bicycles (described in statistical reporting number 8708.99.8180) | 3/26/2020 |
| 8708.99.8180 | Product Specific | Trailer hitch kits of alloy steel or carbon steel, for the vehicles of headings 8701 to 8705, other than tractors, except including road tractors (described in statistical reporting number 8708.99.8180) | 3/26/2020 |
| 8712.00.4800 | Product Specific | Bicycles, including mountain-type, with drop bar, tubeless, folding (described in statistical reporting number 8712.00.4800) | 3/26/2020 |
| 8716.40.0000 | Product Specific | Trailers with steel or aluminum frames, single axle, each measuring at least 1.5 m but not more than 2.5 m in width, at least 2.4 m but not more than 5.8 m in length, and weighing at least 110 kg but not more than 730 kg (described in statistical reporting number 8716.40.0000) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8716.90.3000 | Product Specific | Castors, each comprising a polyurethane tread over a polypropylene hub, measuring at least 7.5 cm but not more than 20.5 cm in diameter and at least 2.5 cm but not more than 5.5 cm in width, for use with retail shopping carts, material handling carts, light industrial carts, baker carts, laboratory carts, medical carts or pharmaceutical carts (described in statistical reporting number 8716.90.3000) | 3/26/2020 |
| 9002.11.9000 | Product Specific | Mounted camera lenses, each with a M12 mount configuration, with an 8.46 mm sensor format and focal lengths between 2.8 mm and 16.0 mm, focal ratio (F/No) of 1.4 or greater but not exceeding 6.6 and a fixed iris (described in statistical reporting number 9002.11.9000) | 3/26/2020 |
| 9401.20.0000 | Product Specific | Seats of a kind used for automobiles, not reclining, incorporating padding of polymeric foam and seat covers of PVC (described in statistical reporting number 9401.20.0000) | 3/26/2020 |
| 9403.20.0090 | Product Specific | Adjustable wire shelving units of steel, other than for household use, comprising vertical poles, foot caps or casters, clips and shelves, each when fully assembled measuring at least 35 cm or more but not more than 183 m in width, at least 35 cm but not more than 77 cm in depth, and at least 137 cm but not more than 183 cm in height (described in statistical reporting number 9403.20.0081) | 3/26/2020 |
| 9403.20.0090 | Product Specific | Storage racks of steel, powder-coated, designed to hang from overhead support, each weighing not more than 37 kg, measuring not more than 123 cm in width, not more than 123 cm in height and not more than 245 cm in length (described in statistical reporting number 9403.20.0081) | 3/26/2020 |
| 9403.20.0090 | Product Specific | Shelving units of chrome plated steel, each consisting of wire shelves measuring at least 35 cm but not more than 62 cm in width and at least 61 cm but not more than 183 cm in length and supporting posts, with leveling feet, measuring not more than 30 cm in length (described in statistical reporting number 9403.20.0090) | 3/26/2020 |
| 9403.60.8081 | Product Specific | Cabinets of wood with glass fronts, each measuring at least 208 cm but not more than 234 cm in height, at least 86 cm but no more than 128 cm in width and at least 40 cm but not more than 49 cm in depth (described in statistical reporting number 9403.60.8081) | 3/26/2020 |
| 9403.60.8081 | Product Specific | Cabinets of wood with glass fronts, each measuring at least 91 cm but not more than 117 cm in height, at least 165 cm but no more than 216 cm in width and at least 38 cm but not more than 59 cm in depth (described in statistical reporting number 9403.60.8081) | 3/26/2020 |



Product Specific Exclusions Granted - List 3 (as of 3/26/20)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|---------------------|
| 9403.89.6015 | Product Specific | Outdoor tables of artificial stone, each measuring no more than 93 cm by 93 cm by 63 cm, with a built-in gas-burning fire pit (described in statistical reporting number 9403.89.6015) | 3/26/2020 |
| 9403.89.6020 | Product Specific | Sets of rectangular laundry organizers consisting of at least six, but not more than nine collapsible hampers of ethylene-vinyl acetate (EVA) fabric, each with a drawstring top, an exterior zip pocket, and rope handles, designed to stand on the floor and fold up when not in use (described in statistical reporting number 9403.89.6020) | 3/26/2020 |
| 9403.90.7080 | Product Specific | Parts of counters, racks, display cases, and similar fixtures of wood other than cane, osier, bamboo or similar materials (described in statistical reporting number 9403.90.7080) | 3/26/2020 |
| 9403.90.8041 | Product Specific | Parts of counters, racks, display cases, and similar fixtures of base metal, other than welded wire rack decking (described in statistical reporting number 9403.90.8041) | 3/26/2020 |
| 9405.20.8010 | Product Specific | Lamps with bases of agglomerated stone that are figurines, each measuring at least 45 cm but not more than 77 cm in height, weighing at least 1.3 kg but not more than 2.8 kg, with a decorated fabric shade (described in statistical reporting number 9405.20.8010) | 3/26/2020 |
| 9405.20.8010 | Product Specific | LED lamps other than of base metal, each with height adjustable from at least 19 cm to not more than 38 cm, with touch switch controlling power, brightness and three color modes (warm, bright and natural daylight illumination), 5 V, 2.1 A USB charging port, and digital LCD display featuring time, date, and temperature display (described in statistical reporting number 9405.20.8010) | 3/26/2020 |
| 9405.40.8200 | Product Specific | LED backlight modules, each measuring at least 90 mm but not more than 105 mm in length and at least 45 mm but not more than 55 mm in width (described in statistical reporting number 9405.40.8200) | 3/26/2020 |
| 9405.40.8440 | Product Specific | Flameless pillar candles with LED lamps powered by batteries, each measuring at least 7.6 cm but not more than 20 cm in diameter and having a wax exterior (described in statistical reporting number 9405.40.8440) | 3/26/2020 |